

This is a published notice on the Find a Tender service: <https://www.find-tender.service.gov.uk/Notice/000156-2021>

Not applicable

## **01879 Provision of Explosives and Narcotics Trace Detectors**

Scottish Prison Service

F14: Notice for changes or additional information

Notice identifier: 2021/S 000-000156

Procurement identifier (OCID): ocds-h6vhtk-0287e2

Published 5 January 2021, 4:56pm

### **Section I: Contracting authority/entity**

#### **I.1) Name and addresses**

Scottish Prison Service

Calton House, 5 Redheughs Rigg

Edinburgh

EH12 9HW

#### **Email**

[gavin.weetman@sps.pnn.gov.uk](mailto:gavin.weetman@sps.pnn.gov.uk)

#### **Telephone**

+44 1313303771

#### **Country**

United Kingdom

## **NUTS code**

UKM75 - Edinburgh, City of

## **Internet address(es)**

Main address

<http://www.sps.gov.uk>

Buyer's address

[https://www.publiccontractsscotland.gov.uk/search/Search\\_AuthProfile.aspx?ID=AA00384](https://www.publiccontractsscotland.gov.uk/search/Search_AuthProfile.aspx?ID=AA00384)

---

## **Section II: Object**

### **II.1) Scope of the procurement**

#### **II.1.1) Title**

01879 Provision of Explosives and Narcotics Trace Detectors

Reference number

01879

#### **II.1.2) Main CPV code**

- 35121000 - Security equipment

#### **II.1.3) Type of contract**

Supplies

#### **II.1.4) Short description**

The SPS requires the supply of desktop explosives and narcotics trace detectors with consumables.

---

## **Section VII. Changes**

### **VII.2) Other additional information**

#### Standard Compliance Update

Please note that the Contract Notice (III.1.3) Technical and professional ability) stated that ASTM Standard E2500 07 was required. This is incorrect and ASTM 2520-07 is the correct standard for detecting explosives. I have added this as additional information but believe the Contract Notice will need to be amended as it is an OJEU valued tender.