This is a published notice on the Find a Tender service: https://www.find-tender.service.gov.uk/Notice/004551-2021

Tender

Supply of Mobile Plant

Wales & West Utilities Ltd

F05: Contract notice - utilities

Notice identifier: 2021/S 000-004551

Procurement identifier (OCID): ocds-h6vhtk-029938

Published 8 March 2021, 10:03am

Section I: Contracting entity

I.1) Name and addresses

Wales & West Utilities Ltd

Wales & West House, Spooner Close, Coedkernew

NEWPORT

NP108FZ

Contact

Leigh van Breda

Email

leigh.vanbreda@wwutilities.co.uk

Country

United Kingdom

NUTS code

UKL - Wales

Internet address(es)

Main address

https://www.wwutilities.co.uk/

I.3) Communication

Access to the procurement documents is restricted. Further information can be obtained at

https://www.wwutilities.co.uk/

Additional information can be obtained from the above-mentioned address

Tenders or requests to participate must be submitted electronically via

https://www.wwutilities.co.uk/

I.6) Main activity

Production, transport and distribution of gas and heat

Section II: Object

II.1) Scope of the procurement

II.1.1) Title

Supply of Mobile Plant

Reference number

WWU1148

II.1.2) Main CPV code

• 34223300 - Trailers

II.1.3) Type of contract

Supplies

II.1.4) Short description

Supply and delivery of mobile plant within the Wales & West network area. Wales & West Utilities Limited are looking to award a three (3) year contract with the option to extend for up to five (5) years in a minimum of 6 month periods.

II.1.6) Information about lots

This contract is divided into lots: Yes

Tenders may be submitted for all lots

II.2) Description

II.2.1) Title

Trailers - standard and adapted standard types

Lot No

1

II.2.2) Additional CPV code(s)

• 34223300 - Trailers

II.2.3) Place of performance

NUTS codes

- UKK South West (England)
- UKL Wales

II.2.4) Description of the procurement

Wales & West Utilities Ltd is a gas transporter operating the pipeline network in Wales and the South West of England. WWU's current fleet of operated mobile plant consists of circa, 600 units.

Due to a recent change in business strategy, it is likely that the size of the mobile plant fleet will grow within the next 2 years.

Mobile plant is replaced on a periodic 'on condition' basis; typical total volumes are 80-100 units of all types per year.

Trailers are usually drawn by light commercial vehicles with a gross weight of 3.5 tonnes and a train weight of 6.0/6.5 tonnes. Trailer gross weights are in the range 1.5-3.0 tonnes.

Mechanical handling equipment is depot-based across WWU's area and operates almost exclusively on hard surfaces. There is a need to rationalise and standardise where practicable the current mechanical handling equipment.

- Trailers standard and adapted standard types including tipper, lifting canopy (for 'valve pit' & 'bagging off' equipment), open-top/mesh sided (for signs & barriers); box trailers; trailers for grounds care equipment
- Trailers specialised for transporting c. 1.5t mini excavator (allowing mini excavator to be loaded in forward direction and secured without the use of ratchet straps)
- Trailers specialised bowser with vacuum/syphon tank for de-watering gas mains; other bowser types e.g. to support on-site pressure-washing
- Trailer mounted/towable compressor generator
- Trailers specialised for carrying and dispensing polyethylene pipe coils of various sizes 50/90, 125, 180mm pipe diameters

Trailer-type site welfare cabins with security

• Trailer-type site storage units (this type is not currently owned but containers are

frequently hired)

• Excavator 1.5t c/w hammer; excavator 3t (the latter type is not currently owned but is

frequently hired)

Mechanical handling equipment - telehandlers; forklift trucks; lorry-mounted forklift

trucks; reach trucks; skid-steer loaders.

• Miscellaneous Grounds maintenance and agricultural equipment, e.g. mowers, 'mule'

type vehicles; quad bikes.

The above list is not intended to be exhaustive and it may be necessary to acquire other

types in future as business needs dictate.

II.2.5) Award criteria

Price is not the only award criterion and all criteria are stated only in the procurement

documents

II.2.7) Duration of the contract, framework agreement or dynamic purchasing system

Duration in months

60

This contract is subject to renewal

No

II.2.10) Information about variants

Variants will be accepted: No

II.2.11) Information about options

Options: No

II.2) Description

II.2.1) Title

Trailers - specialised - for transporting c. 1.5t mini excavator

Lot No

2

II.2.2) Additional CPV code(s)

• 34223300 - Trailers

II.2.3) Place of performance

NUTS codes

- UKK South West (England)
- UKL Wales

II.2.4) Description of the procurement

Wales & West Utilities Ltd is a gas transporter operating the pipeline network in Wales and the South West of England. WWU's current fleet of operated mobile plant consists of circa, 600 units.

Due to a recent change in business strategy, it is likely that the size of the mobile plant fleet will grow within the next 2 years.

Mobile plant is replaced on a periodic 'on condition' basis; typical total volumes are 80-100 units of all types per year.

Trailers are usually drawn by light commercial vehicles with a gross weight of 3.5 tonnes and a train weight of 6.0/6.5 tonnes. Trailer gross weights are in the range 1.5-3.0 tonnes.

Mechanical handling equipment is depot-based across WWU's area and operates almost exclusively on hard surfaces. There is a need to rationalise and standardise where practicable the current mechanical handling equipment.

- Trailers standard and adapted standard types including tipper, lifting canopy (for 'valve pit' & 'bagging off' equipment), open-top/mesh sided (for signs & barriers); box trailers; trailers for grounds care equipment
- Trailers specialised for transporting c. 1.5t mini excavator (allowing mini excavator to be loaded in forward direction and secured without the use of ratchet straps)

• Trailers - specialised - bowser with vacuum/syphon tank for de-watering gas mains; other bowser types e.g. to support on-site pressure-washing

• Trailer - mounted/towable compressor generator

• Trailers - specialised - for carrying and dispensing polyethylene pipe coils of various sizes - 50/90, 125, 180mm pipe diameters

Trailer-type site welfare cabins with security

• Trailer-type site storage units (this type is not currently owned but containers are frequently hired)

• Excavator 1.5t c/w hammer; excavator 3t (the latter type is not currently owned but is frequently hired)

• Mechanical handling equipment - telehandlers; forklift trucks; lorry-mounted forklift trucks; reach trucks; skid-steer loaders.

• Miscellaneous Grounds maintenance and agricultural equipment, e.g. mowers, 'mule' type vehicles; quad bikes.

The above list is not intended to be exhaustive and it may be necessary to acquire other types in future as business needs dictate.

II.2.5) Award criteria

Price is not the only award criterion and all criteria are stated only in the procurement documents

II.2.7) Duration of the contract, framework agreement or dynamic purchasing system

Duration in months

60

This contract is subject to renewal

No

II.2.10) Information about variants

Variants will be accepted: No

II.2.11) Information about options

Options: No

II.2) Description

II.2.1) Title

•Trailers - specialised - bowser with vacuum/syphon tank

Lot No

3

II.2.2) Additional CPV code(s)

• 34223300 - Trailers

II.2.3) Place of performance

NUTS codes

- UKK South West (England)
- UKL Wales

II.2.4) Description of the procurement

Wales & West Utilities Ltd is a gas transporter operating the pipeline network in Wales and the South West of England. WWU's current fleet of operated mobile plant consists of circa, 600 units.

Due to a recent change in business strategy, it is likely that the size of the mobile plant fleet will grow within the next 2 years.

Mobile plant is replaced on a periodic 'on condition' basis; typical total volumes are 80-100 units of all types per year.

Trailers are usually drawn by light commercial vehicles with a gross weight of 3.5 tonnes and a train weight of 6.0/6.5 tonnes. Trailer gross weights are in the range 1.5-3.0 tonnes.

Mechanical handling equipment is depot-based across WWU's area and operates almost exclusively on hard surfaces. There is a need to rationalise and standardise where practicable the current mechanical handling equipment.

of up to five years.

- Trailers standard and adapted standard types including tipper, lifting canopy (for 'valve pit' & 'bagging off' equipment), open-top/mesh sided (for signs & barriers); box trailers; trailers for grounds care equipment
- Trailers specialised for transporting c. 1.5t mini excavator (allowing mini excavator to be loaded in forward direction and secured without the use of ratchet straps)
- Trailers specialised bowser with vacuum/syphon tank for de-watering gas mains; other bowser types e.g. to support on-site pressure-washing
- Trailer mounted/towable compressor generator
- Trailers specialised for carrying and dispensing polyethylene pipe coils of various sizes 50/90, 125, 180mm pipe diameters
- Trailer-type site welfare cabins with security
- Trailer-type site storage units (this type is not currently owned but containers are frequently hired)
- Excavator 1.5t c/w hammer; excavator 3t (the latter type is not currently owned but is frequently hired)
- Mechanical handling equipment telehandlers; forklift trucks; lorry-mounted forklift trucks; reach trucks; skid-steer loaders.
- Miscellaneous Grounds maintenance and agricultural equipment, e.g. mowers, 'mule' type vehicles; quad bikes.

The above list is not intended to be exhaustive and it may be necessary to acquire other types in future as business needs dictate.

II.2.5) Award criteria

Price is not the only award criterion and all criteria are stated only in the procurement documents

II.2.7) Duration of the contract, framework agreement or dynamic purchasing system

Duration in months

This contract is subject to renewal

No

II.2.10) Information about variants

Variants will be accepted: No

II.2.11) Information about options

Options: No

II.2) Description

II.2.1) Title

Trailer - mounted/towable compressor generator

Lot No

4

II.2.2) Additional CPV code(s)

• 34223300 - Trailers

II.2.3) Place of performance

NUTS codes

- UKK South West (England)
- UKL Wales

II.2.4) Description of the procurement

Wales & West Utilities Ltd is a gas transporter operating the pipeline network in Wales and the South West of England. WWU's current fleet of operated mobile plant consists of circa. 600 units.

Due to a recent change in business strategy, it is likely that the size of the mobile plant fleet will grow within the next 2 years.

Mobile plant is replaced on a periodic 'on condition' basis; typical total volumes are 80-100 units of all types per year.

Trailers are usually drawn by light commercial vehicles with a gross weight of 3.5 tonnes and a train weight of 6.0/6.5 tonnes. Trailer gross weights are in the range 1.5-3.0 tonnes.

Mechanical handling equipment is depot-based across WWU's area and operates almost exclusively on hard surfaces. There is a need to rationalise and standardise where practicable the current mechanical handling equipment.

WWU are looking for a provider or providers to supply and deliver effective aftersales support to WWU's contracted maintenance provider for the following products for a period of up to five years.

- Trailers standard and adapted standard types including tipper, lifting canopy (for 'valve pit' & 'bagging off' equipment), open-top/mesh sided (for signs & barriers); box trailers; trailers for grounds care equipment
- Trailers specialised for transporting c. 1.5t mini excavator (allowing mini excavator to be loaded in forward direction and secured without the use of ratchet straps)
- Trailers specialised bowser with vacuum/syphon tank for de-watering gas mains; other bowser types e.g. to support on-site pressure-washing
- Trailer mounted/towable compressor generator
- Trailers specialised for carrying and dispensing polyethylene pipe coils of various sizes 50/90, 125, 180mm pipe diameters
- Trailer-type site welfare cabins with security
- Trailer-type site storage units (this type is not currently owned but containers are frequently hired)
- Excavator 1.5t c/w hammer; excavator 3t (the latter type is not currently owned but is frequently hired)
- Mechanical handling equipment telehandlers; forklift trucks; lorry-mounted forklift trucks; reach trucks; skid-steer loaders.
- Miscellaneous Grounds maintenance and agricultural equipment, e.g. mowers, 'mule' type vehicles; quad bikes.

The above list is not intended to be exhaustive and it may be necessary to acquire other types in future as business needs dictate.

II.2.5) Award criteria

Price is not the only award criterion and all criteria are stated only in the procurement documents

II.2.7) Duration of the contract, framework agreement or dynamic purchasing system

Duration in months

60

This contract is subject to renewal

No

II.2.10) Information about variants

Variants will be accepted: No

II.2.11) Information about options

Options: No

II.2) Description

II.2.1) Title

Trailers - specialised for carrying and dispensing polyethylene pipe coils

Lot No

5

II.2.2) Additional CPV code(s)

• 34223300 - Trailers

II.2.3) Place of performance

NUTS codes

- UKK South West (England)
- UKL Wales

II.2.4) Description of the procurement

Wales & West Utilities Ltd is a gas transporter operating the pipeline network in Wales

and the South West of England. WWU's current fleet of operated mobile plant consists of circa. 600 units.

Due to a recent change in business strategy, it is likely that the size of the mobile plant fleet will grow within the next 2 years.

Mobile plant is replaced on a periodic 'on condition' basis; typical total volumes are 80-100 units of all types per year.

Trailers are usually drawn by light commercial vehicles with a gross weight of 3.5 tonnes and a train weight of 6.0/6.5 tonnes. Trailer gross weights are in the range 1.5-3.0 tonnes.

Mechanical handling equipment is depot-based across WWU's area and operates almost exclusively on hard surfaces. There is a need to rationalise and standardise where practicable the current mechanical handling equipment.

- Trailers standard and adapted standard types including tipper, lifting canopy (for 'valve pit' & 'bagging off' equipment), open-top/mesh sided (for signs & barriers); box trailers; trailers for grounds care equipment
- Trailers specialised for transporting c. 1.5t mini excavator (allowing mini excavator to be loaded in forward direction and secured without the use of ratchet straps)
- Trailers specialised bowser with vacuum/syphon tank for de-watering gas mains; other bowser types e.g. to support on-site pressure-washing
- Trailer mounted/towable compressor generator
- Trailers specialised for carrying and dispensing polyethylene pipe coils of various sizes 50/90, 125, 180mm pipe diameters
- Trailer-type site welfare cabins with security
- Trailer-type site storage units (this type is not currently owned but containers are frequently hired)
- Excavator 1.5t c/w hammer; excavator 3t (the latter type is not currently owned but is frequently hired)
- Mechanical handling equipment telehandlers; forklift trucks; lorry-mounted forklift

trucks; reach trucks; skid-steer loaders.

• Miscellaneous Grounds maintenance and agricultural equipment, e.g. mowers, 'mule' type vehicles; quad bikes.

The above list is not intended to be exhaustive and it may be necessary to acquire other types in future as business needs dictate.

Key Objectives of the Tender

The purpose of this tender is to appoint a partner or partners to provide the above items of plant.

II.2.5) Award criteria

Price is not the only award criterion and all criteria are stated only in the procurement documents

II.2.7) Duration of the contract, framework agreement or dynamic purchasing system

Duration in months

60

This contract is subject to renewal

No

II.2.10) Information about variants

Variants will be accepted: No

II.2.11) Information about options

Options: No

II.2) Description

II.2.1) Title

Trailer-type site welfare cabins with security

Lot No

6

II.2.2) Additional CPV code(s)

- 34114300 Welfare vehicles
- 34223330 Mobile units on trailers

II.2.3) Place of performance

NUTS codes

- UKK South West (England)
- UKL Wales

II.2.4) Description of the procurement

Wales & West Utilities Ltd is a gas transporter operating the pipeline network in Wales and the South West of England. WWU's current fleet of operated mobile plant consists of circa, 600 units.

Due to a recent change in business strategy, it is likely that the size of the mobile plant fleet will grow within the next 2 years.

Mobile plant is replaced on a periodic 'on condition' basis; typical total volumes are 80-100 units of all types per year.

Trailers are usually drawn by light commercial vehicles with a gross weight of 3.5 tonnes and a train weight of 6.0/6.5 tonnes. Trailer gross weights are in the range 1.5-3.0 tonnes.

Mechanical handling equipment is depot-based across WWU's area and operates almost exclusively on hard surfaces. There is a need to rationalise and standardise where practicable the current mechanical handling equipment.

- Trailers standard and adapted standard types including tipper, lifting canopy (for 'valve pit' & 'bagging off' equipment), open-top/mesh sided (for signs & barriers); box trailers; trailers for grounds care equipment
- Trailers specialised for transporting c. 1.5t mini excavator (allowing mini excavator to be loaded in forward direction and secured without the use of ratchet straps)
- Trailers specialised bowser with vacuum/syphon tank for de-watering gas mains;
 other bowser types e.g. to support on-site pressure-washing

Page 16 to 27

Trailer - mounted/towable compressor generator

• Trailers - specialised - for carrying and dispensing polyethylene pipe coils of various

sizes - 50/90, 125, 180mm pipe diameters

Trailer-type site welfare cabins with security

• Trailer-type site storage units (this type is not currently owned but containers are

frequently hired)

Excavator 1.5t c/w hammer; excavator 3t (the latter type is not currently owned but is

frequently hired)

Mechanical handling equipment - telehandlers; forklift trucks; lorry-mounted forklift

trucks; reach trucks; skid-steer loaders.

• Miscellaneous Grounds maintenance and agricultural equipment, e.g. mowers, 'mule'

type vehicles; quad bikes.

The above list is not intended to be exhaustive and it may be necessary to acquire other

types in future as business needs dictate.

II.2.5) Award criteria

Price is not the only award criterion and all criteria are stated only in the procurement

documents

II.2.7) Duration of the contract, framework agreement or dynamic purchasing system

Duration in months

60

This contract is subject to renewal

No

II.2.10) Information about variants

Variants will be accepted: No

II.2.11) Information about options

Options: No

II.2) Description

II.2.1) Title

Trailer-type site storage units

Lot No

7

II.2.2) Additional CPV code(s)

• 34223330 - Mobile units on trailers

II.2.3) Place of performance

NUTS codes

- UKK South West (England)
- UKL Wales

II.2.4) Description of the procurement

Wales & West Utilities Ltd is a gas transporter operating the pipeline network in Wales and the South West of England. WWU's current fleet of operated mobile plant consists of circa, 600 units.

Due to a recent change in business strategy, it is likely that the size of the mobile plant fleet will grow within the next 2 years.

Mobile plant is replaced on a periodic 'on condition' basis; typical total volumes are 80-100 units of all types per year.

Trailers are usually drawn by light commercial vehicles with a gross weight of 3.5 tonnes and a train weight of 6.0/6.5 tonnes. Trailer gross weights are in the range 1.5-3.0 tonnes.

Mechanical handling equipment is depot-based across WWU's area and operates almost exclusively on hard surfaces. There is a need to rationalise and standardise where practicable the current mechanical handling equipment.

WWU are looking for a provider or providers to supply and deliver effective aftersales support to WWU's contracted maintenance provider for the following products for a period of up to five years.

• Trailers - standard and adapted standard types - including tipper, lifting canopy (for

'valve pit' & 'bagging off' equipment), open-top/mesh sided (for signs & barriers); box trailers; trailers for grounds care equipment

- Trailers specialised for transporting c. 1.5t mini excavator (allowing mini excavator to be loaded in forward direction and secured without the use of ratchet straps)
- Trailers specialised bowser with vacuum/syphon tank for de-watering gas mains; other bowser types e.g. to support on-site pressure-washing
- Trailer mounted/towable compressor generator
- Trailers specialised for carrying and dispensing polyethylene pipe coils of various sizes 50/90, 125, 180mm pipe diameters
- Trailer-type site welfare cabins with security
- Trailer-type site storage units (this type is not currently owned but containers are frequently hired)
- Excavator 1.5t c/w hammer; excavator 3t (the latter type is not currently owned but is frequently hired)
- Mechanical handling equipment telehandlers; forklift trucks; lorry-mounted forklift trucks; reach trucks; skid-steer loaders.
- Miscellaneous Grounds maintenance and agricultural equipment, e.g. mowers, 'mule' type vehicles; quad bikes.

The above list is not intended to be exhaustive and it may be necessary to acquire other types in future as business needs dictate.

II.2.5) Award criteria

Price is not the only award criterion and all criteria are stated only in the procurement documents

II.2.7) Duration of the contract, framework agreement or dynamic purchasing system

Duration in months

60

This contract is subject to renewal

No

II.2.10) Information about variants

Variants will be accepted: No

II.2.11) Information about options

Options: No

II.2) Description

II.2.1) Title

Excavator 1.5t c/w hammer; excavator 3t

Lot No

8

II.2.2) Additional CPV code(s)

43262100 - Mechanical excavators

II.2.3) Place of performance

NUTS codes

- UKK South West (England)
- UKL Wales

II.2.4) Description of the procurement

Wales & West Utilities Ltd is a gas transporter operating the pipeline network in Wales and the South West of England. WWU's current fleet of operated mobile plant consists of circa. 600 units.

Due to a recent change in business strategy, it is likely that the size of the mobile plant fleet will grow within the next 2 years.

Mobile plant is replaced on a periodic 'on condition' basis; typical total volumes are 80-100 units of all types per year.

Trailers are usually drawn by light commercial vehicles with a gross weight of 3.5 tonnes and a train weight of 6.0/6.5 tonnes. Trailer gross weights are in the range 1.5-3.0 tonnes.

Mechanical handling equipment is depot-based across WWU's area and operates almost exclusively on hard surfaces. There is a need to rationalise and standardise where practicable the current mechanical handling equipment.

WWU are looking for a provider or providers to supply and deliver effective aftersales support to WWU's contracted maintenance provider for the following products for a period of up to five years.

- Trailers standard and adapted standard types including tipper, lifting canopy (for 'valve pit' & 'bagging off' equipment), open-top/mesh sided (for signs & barriers); box trailers; trailers for grounds care equipment
- Trailers specialised for transporting c. 1.5t mini excavator (allowing mini excavator to be loaded in forward direction and secured without the use of ratchet straps)
- Trailers specialised bowser with vacuum/syphon tank for de-watering gas mains; other bowser types e.g. to support on-site pressure-washing
- Trailer mounted/towable compressor generator
- Trailers specialised for carrying and dispensing polyethylene pipe coils of various sizes 50/90, 125, 180mm pipe diameters
- Trailer-type site welfare cabins with security
- Trailer-type site storage units (this type is not currently owned but containers are frequently hired)
- Excavator 1.5t c/w hammer; excavator 3t (the latter type is not currently owned but is frequently hired)
- Mechanical handling equipment telehandlers; forklift trucks; lorry-mounted forklift trucks; reach trucks; skid-steer loaders.
- Miscellaneous Grounds maintenance and agricultural equipment, e.g. mowers, 'mule' type vehicles; quad bikes.

The above list is not intended to be exhaustive and it may be necessary to acquire other types in future as business needs dictate.

II.2.5) Award criteria

Price is not the only award criterion and all criteria are stated only in the procurement documents

II.2.7) Duration of the contract, framework agreement or dynamic purchasing system

Duration in months

60

This contract is subject to renewal

No

II.2.10) Information about variants

Variants will be accepted: No

II.2.11) Information about options

Options: No

II.2) Description

II.2.1) Title

Mechanical handling equipment

Lot No

9

II.2.2) Additional CPV code(s)

• 42400000 - Lifting and handling equipment and parts

II.2.3) Place of performance

NUTS codes

- UKK South West (England)
- UKL Wales

II.2.4) Description of the procurement

Wales & West Utilities Ltd is a gas transporter operating the pipeline network in Wales and the South West of England. WWU's current fleet of operated mobile plant consists of circa, 600 units.

Due to a recent change in business strategy, it is likely that the size of the mobile plant

fleet will grow within the next 2 years.

Mobile plant is replaced on a periodic 'on condition' basis; typical total volumes are 80-100 units of all types per year.

Trailers are usually drawn by light commercial vehicles with a gross weight of 3.5 tonnes and a train weight of 6.0/6.5 tonnes. Trailer gross weights are in the range 1.5-3.0 tonnes.

Mechanical handling equipment is depot-based across WWU's area and operates almost exclusively on hard surfaces. There is a need to rationalise and standardise where practicable the current mechanical handling equipment.

- Trailers standard and adapted standard types including tipper, lifting canopy (for 'valve pit' & 'bagging off' equipment), open-top/mesh sided (for signs & barriers); box trailers; trailers for grounds care equipment
- Trailers specialised for transporting c. 1.5t mini excavator (allowing mini excavator to be loaded in forward direction and secured without the use of ratchet straps)
- Trailers specialised bowser with vacuum/syphon tank for de-watering gas mains; other bowser types e.g. to support on-site pressure-washing
- Trailer mounted/towable compressor generator
- Trailers specialised for carrying and dispensing polyethylene pipe coils of various sizes 50/90, 125, 180mm pipe diameters
- Trailer-type site welfare cabins with security
- Trailer-type site storage units (this type is not currently owned but containers are frequently hired)
- Excavator 1.5t c/w hammer; excavator 3t (the latter type is not currently owned but is frequently hired)
- Mechanical handling equipment telehandlers; forklift trucks; lorry-mounted forklift trucks; reach trucks; skid-steer loaders.
- Miscellaneous Grounds maintenance and agricultural equipment, e.g. mowers, 'mule' type vehicles; quad bikes.

The above list is not intended to be exhaustive and it may be necessary to acquire other types in future as business needs dictate.

II.2.5) Award criteria

Price is not the only award criterion and all criteria are stated only in the procurement documents

II.2.7) Duration of the contract, framework agreement or dynamic purchasing system

Duration in months

60

This contract is subject to renewal

No

II.2.10) Information about variants

Variants will be accepted: No

II.2.11) Information about options

Options: No

II.2) Description

II.2.1) Title

Miscellaneous Grounds maintenance and agricultural equipment

Lot No

10

II.2.2) Additional CPV code(s)

• 16000000 - Agricultural machinery

II.2.3) Place of performance

NUTS codes

- UKK South West (England)
- UKL Wales

II.2.4) Description of the procurement

Wales & West Utilities Ltd is a gas transporter operating the pipeline network in Wales and the South West of England. WWU's current fleet of operated mobile plant consists of circa, 600 units.

Due to a recent change in business strategy, it is likely that the size of the mobile plant fleet will grow within the next 2 years.

Mobile plant is replaced on a periodic 'on condition' basis; typical total volumes are 80-100 units of all types per year.

Trailers are usually drawn by light commercial vehicles with a gross weight of 3.5 tonnes and a train weight of 6.0/6.5 tonnes. Trailer gross weights are in the range 1.5-3.0 tonnes.

Mechanical handling equipment is depot-based across WWU's area and operates almost exclusively on hard surfaces. There is a need to rationalise and standardise where practicable the current mechanical handling equipment.

- Trailers standard and adapted standard types including tipper, lifting canopy (for 'valve pit' & 'bagging off' equipment), open-top/mesh sided (for signs & barriers); box trailers; trailers for grounds care equipment
- Trailers specialised for transporting c. 1.5t mini excavator (allowing mini excavator to be loaded in forward direction and secured without the use of ratchet straps)
- Trailers specialised bowser with vacuum/syphon tank for de-watering gas mains; other bowser types e.g. to support on-site pressure-washing
- Trailer mounted/towable compressor generator
- Trailers specialised for carrying and dispensing polyethylene pipe coils of various sizes 50/90, 125, 180mm pipe diameters
- Trailer-type site welfare cabins with security
- Trailer-type site storage units (this type is not currently owned but containers are frequently hired)
- Excavator 1.5t c/w hammer; excavator 3t (the latter type is not currently owned but is

Page 25 to 27

frequently hired)

• Mechanical handling equipment - telehandlers; forklift trucks; lorry-mounted forklift

trucks; reach trucks; skid-steer loaders.

• Miscellaneous Grounds maintenance and agricultural equipment, e.g. mowers, 'mule'

type vehicles; quad bikes.

The above list is not intended to be exhaustive and it may be necessary to acquire other

types in future as business needs dictate.

II.2.5) Award criteria

Price is not the only award criterion and all criteria are stated only in the procurement

documents

II.2.7) Duration of the contract, framework agreement or dynamic purchasing system

Duration in months

60

This contract is subject to renewal

No

II.2.10) Information about variants

Variants will be accepted: No

II.2.11) Information about options

Options: No

Section IV. Procedure

IV.1) Description

IV.1.1) Type of procedure

Negotiated procedure with prior call for competition

IV.1.8) Information about the Government Procurement Agreement (GPA)

The procurement is covered by the Government Procurement Agreement: No

IV.2) Administrative information

IV.2.2) Time limit for receipt of tenders or requests to participate

Date

29 March 2021

Local time

2:00pm

IV.2.4) Languages in which tenders or requests to participate may be submitted

English

Section VI. Complementary information

VI.1) Information about recurrence

This is a recurrent procurement: Yes

VI.2) Information about electronic workflows

Electronic ordering will be used

Electronic invoicing will be accepted

Electronic payment will be used

VI.4) Procedures for review

VI.4.1) Review body

Wales & West Utilities Limited

Newport

Country

United Kingdom