This is a published notice on the Find a Tender service: https://www.find-tender.service.gov.uk/Notice/009635-2022

Not applicable

RFP-FY-22-57 PROVISION TO UPGRADE EXISTING DATA CENTRE

Satellite Applications Catapult

F14: Notice for changes or additional information

Notice identifier: 2022/S 000-009635

Procurement identifier (OCID): ocds-h6vhtk-032408

Published 11 April 2022, 3:19pm

Section I: Contracting authority/entity

I.1) Name and addresses

Satellite Applications Catapult

Electron Building, Fermi Avenue, Harwell

Didcot

OX11 0QR

Email

james.morrison@sa.catapult.org.uk

Telephone

+44 1235567977

Country

United Kingdom

NUTS code

UK - United Kingdom

Internet address(es)

Main address

https://sa.catapult.org.uk

Buyer's address

https://www.mytenders.co.uk/search/Search_AuthProfile.aspx?ID=AA42845

Section II: Object

II.1) Scope of the procurement

II.1.1) Title

RFP-FY-22-57 PROVISION TO UPGRADE EXISTING DATA CENTRE

Reference number

RFP-FY-22-57

II.1.2) Main CPV code

• 48610000 - Database systems

II.1.3) Type of contract

Supplies

II.1.4) Short description

SA Catapult currently run a diverse setup covering multiple Hardware stacks and multiple Virtualization stack Controllers (VCSAs).

This tender is designed to both consolidate and modernise our existing infrastructure, whilst maintaining at least on par compute capacity

We intend to simplify the design to a traditional 3 tier stack of Compute, Switch Fabric and Storage.

Section VI. Complementary information

VI.6) Original notice reference

Notice number: 2022/S 000-007534

Section VII. Changes

VII.1) Information to be changed or added

VII.1.2) Text to be corrected in the original notice

Section number

IV.2.2

Place of text to be modified

Time limit

Instead of

Date

22 April 2022

Local time

12:00pm

Read

Date

26 April 2022

Local time

12:00pm

Section number

IV.2.7

Place of text to be modified

Instead of
Date
25 April 2022
Local time
9:00am
Read
Date
26 April 2022
Local time
2:00pm

VII.2) Other additional information

Delays in responses to questions.

Conditions for opening of tenders