

This is a published notice on the Find a Tender service: <https://www.find-tender.service.gov.uk/Notice/009664-2023>

Not applicable

Radiometrics and Associated Services

Sellafield Limited

F14: Notice for changes or additional information

Notice identifier: 2023/S 000-009664

Procurement identifier (OCID): ocds-h6vhtk-03b783

Published 3 April 2023, 2:33pm

Section I: Contracting authority/entity

I.1) Name and addresses

Sellafield Limited

Calder Bridge

Seascale

CA201PG

Contact

Steven Macilwaine

Email

steven.macilwaine@sellafieldsites.com

Telephone

+44 1925832000

Country

United Kingdom

Region code

UK - United Kingdom

Justification for not providing organisation identifier

Not on any register

Internet address(es)

Main address

<https://www.gov.uk/government/organisations/sellafield-ltd>

Buyer's address

<https://www.gov.uk/government/organisations/sellafield-ltd>

Section II: Object

II.1) Scope of the procurement

II.1.1) Title

Radiometrics and Associated Services

Reference number

C13461

II.1.2) Main CPV code

- 90721600 - Radiation protection services

II.1.3) Type of contract

Services

II.1.4) Short description

There are ~14,000 diverse radiometric assets across the Sellafield site underpinning all activities from security to transport. Radiometric services encompass calibration, maintenance, repair, and results analysis for radiometric instruments at Sellafield Limited, as well as mobile characterisation services for rapid deployment and in-situ measurements. Many of these services are required in order to fulfil obligations under the Ionising Radiation Regulations (2017) and Site Licence Condition 18 - Radiological Protection. The key service requirements for Radiometrics and Associated Services are split into discrete specialist Lots as follows; Lot 1: Installed Radiation Protection Instrumentation (IRPI), Lot 2: Portable Radiation Protection Instrumentation (PRPI) and Lot 3: Radiometrics Characterisation Services (RCS). For further details, please refer to the contract and procurement documents which can be accessed via ATAMIS reference C13461.

Section VI. Complementary information

VI.6) Original notice reference

Notice number: [2023/S 000-009372](#)

Section VII. Changes

VII.1) Information to be changed or added

VII.2) Other additional information

II.2.7 on Lot 2 PRPI states the incorrect duration. The duration should have been in months rather than days. The correct duration is 24 months with an optional one year extension at the end of year 2 and optional one year extension at the end of year 3 (each at Sellafield's discretion).

Maximum contract duration is 4 years (inclusive of optional extension years at the end of year 2 and year 3).