

This is a published notice on the Find a Tender service: <https://www.find-tender.service.gov.uk/Notice/012712-2023>

Tender

## **Q1348 - Air Quality Monitoring**

Guy's and St Thomas' NHS Foundation Trust

F02: Contract notice

Notice identifier: 2023/S 000-012712

Procurement identifier (OCID): ocds-h6vhtk-03c61d

Published 3 May 2023, 4:53pm

### **Section I: Contracting authority**

#### **I.1) Name and addresses**

Guy's and St Thomas' NHS Foundation Trust

Great Maze Pond

London

SE1 9RT

#### **Email**

[tom.hull@gstt.nhs.uk](mailto:tom.hull@gstt.nhs.uk)

#### **Country**

United Kingdom

#### **Region code**

UKI44 - Lewisham and Southwark

#### **Internet address(es)**

Main address

<https://www.guysandstthomas.nhs.uk>

Buyer's address

<https://www.guysandstthomas.nhs.uk>

### **I.3) Communication**

The procurement documents are available for unrestricted and full direct access, free of charge, at

<https://health-family.force.com/s/Welcome>

Additional information can be obtained from the above-mentioned address

Tenders or requests to participate must be submitted electronically via

<https://health-family.force.com/s/Welcome>

Tenders or requests to participate must be submitted to the above-mentioned address

Electronic communication requires the use of tools and devices that are not generally available. Unrestricted and full direct access to these tools and devices is possible, free of charge, at

<https://health-family.force.com/s/Welcome>

### **I.4) Type of the contracting authority**

Body governed by public law

### **I.5) Main activity**

Health

## **Section II: Object**

### **II.1) Scope of the procurement**

#### **II.1.1) Title**

Q1348 - Air Quality Monitoring

#### **II.1.2) Main CPV code**

- 90731100 - Air quality management

#### **II.1.3) Type of contract**

Services

#### **II.1.4) Short description**

Air Quality Monitoring sensors for loading bays

#### **II.1.5) Estimated total value**

Value excluding VAT: £200,000

#### **II.1.6) Information about lots**

This contract is divided into lots: No

### **II.2) Description**

#### **II.2.3) Place of performance**

NUTS codes

- UKI4 - Inner London – East

Main site or place of performance

Guy's and St Thomas' NHS Foundation Trust

#### **II.2.4) Description of the procurement**

Air Quality Monitoring sensors for loading bays

#### **II.2.5) Award criteria**

Price is not the only award criterion and all criteria are stated only in the procurement documents

**II.2.6) Estimated value**

Value excluding VAT: £200,000

**II.2.7) Duration of the contract, framework agreement or dynamic purchasing system**

Duration in months

48

This contract is subject to renewal

No

**II.2.10) Information about variants**

Variants will be accepted: No

**II.2.11) Information about options**

Options: No

**II.2.13) Information about European Union Funds**

The procurement is related to a project and/or programme financed by European Union funds: No

---

## **Section IV. Procedure**

### **IV.1) Description**

#### **IV.1.1) Type of procedure**

Open procedure

#### **IV.1.8) Information about the Government Procurement Agreement (GPA)**

The procurement is covered by the Government Procurement Agreement: No

### **IV.2) Administrative information**

#### **IV.2.2) Time limit for receipt of tenders or requests to participate**

Date

22 May 2023

Local time

12:00pm

#### **IV.2.4) Languages in which tenders or requests to participate may be submitted**

English

#### **IV.2.6) Minimum time frame during which the tenderer must maintain the tender**

Duration in months: 3 (from the date stated for receipt of tender)

#### **IV.2.7) Conditions for opening of tenders**

Date

3 May 2023

Local time

5:00pm

Place

Atamis

---

## **Section VI. Complementary information**

### **VI.1) Information about recurrence**

This is a recurrent procurement: No

### **VI.4) Procedures for review**

#### **VI.4.1) Review body**

Guy's and St Thomas' NHS Foundation Trust

Great Maze Pond

London

SE1 9RT

Country

United Kingdom

Internet address

<https://www.lpp.nhs.uk/>