

This is a published notice on the Find a Tender service: <https://www.find-tender.service.gov.uk/Notice/018558-2022>

Opportunity

## **THE SUPPLY OF DUCTLESS LABORATORY CABINETS**

The Metropolitan Police Service

F02: Contract notice

Notice reference: 2022/S 000-018558

Published: 6 July 2022, 5:22pm

### **Section I: Contracting authority**

#### **I.1) Name and addresses**

The Metropolitan Police Service

2nd Floor, Kilburn Police Station, 39 Salusbury Road, Queen's Park

LONDON

NW66LT

#### **Contact**

Emma Rice

#### **Email**

[Emma.Rice@met.police.uk](mailto:Emma.Rice@met.police.uk)

#### **Telephone**

+44 7554223135

#### **Country**

United Kingdom

### **NUTS code**

UKI - London

### **Internet address(es)**

Main address

[www.met.police.uk](http://www.met.police.uk)

## **I.3) Communication**

The procurement documents are available for unrestricted and full direct access, free of charge, at

[https://supplier.coupahost.com/quotes/public\\_events?customer=metpolice](https://supplier.coupahost.com/quotes/public_events?customer=metpolice)

Additional information can be obtained from the above-mentioned address

Tenders or requests to participate must be submitted electronically via

[https://supplier.coupahost.com/quotes/public\\_events?customer=metpolice](https://supplier.coupahost.com/quotes/public_events?customer=metpolice)

Tenders or requests to participate must be submitted to the above-mentioned address

## **I.4) Type of the contracting authority**

Body governed by public law

## **I.5) Main activity**

Public order and safety

---

## **Section II: Object**

### **II.1) Scope of the procurement**

#### **II.1.1) Title**

## THE SUPPLY OF DUCTLESS LABORATORY CABINETS

Reference number

Coupa Reference #771

### **II.1.2) Main CPV code**

- 39141500 - Fume cupboards
  - LA21 - For laboratory use

### **II.1.3) Type of contract**

Supplies

### **II.1.4) Short description**

The Authority as the contracting authority is tendering for the supply of Ductless Laboratory Cabinets including the fitting and maintenance during the life of the Goods and disposal of previous cabinets (the Goods and Services) to the MPS. The MPS/Authority is seeking through this tendering process to award a contract with a suitably capable Bidder to provide these Goods and Services for an initial term of 36 months and a unilateral option of the MPS/Authority to extend for further periods up to a maximum of 24 months.

The Contracting Authority requires the supply and installation of 29 ductless laboratory cabinets (including maintenance during their expected life) and the decommissioning of existing cabinets.

The required products are as follows;

15 x 800mm wide ductless fume cabinets

3 x 1800mm wide ductless fume cabinets

11 x 1200mm wide bio-safety cabinets - Class II

Decommissioning must be managed to ensure minimal operational impacts to the Contracting Authority and will be carried out in a manner which ensures the ethical and safe disposal of the 29 existing Labcaire (+) ductless fume hoods and class II biologic safety cabinets which have reached their end of life.

The Supplier will be responsible for the logistics of decommissioning twenty-nine (29) cabinets and commissioning / installing twenty-nine (29) cabinets over (ideally) a 6-month

period.

The Supplier will also provide extensive product and H&S knowledge to ensure a smooth transition, with little or no loss of business continuity and in accordance with ISO17025 for calibration, recalibration and cleaning of the equipment and laboratory.

### **II.1.5) Estimated total value**

Value excluding VAT: £270,000

### **II.1.6) Information about lots**

This contract is divided into lots: No

## **II.2) Description**

### **II.2.2) Additional CPV code(s)**

- 33950000 - Clinical forensics equipment and supplies
- 39180000 - Laboratory furniture
- 51430000 - Installation services of laboratory equipment
- 98391000 - Decommissioning services

### **II.2.3) Place of performance**

NUTS codes

- UKI - London

### **II.2.4) Description of the procurement**

The Contracting Authority requires the supply, installation and maintenance of 29 ductless laboratory cabinets and the decommissioning of existing cabinets.

The required products are as follows;

15 x 800mm wide ductless fume cabinets

3 x 1800mm wide ductless fume cabinets

11 x 1200mm wide bio-safety cabinets - Class II

Decommissioning must be managed to ensure minimal operational impacts to the

Contracting Authority and will be carried out in a manner which ensures the ethical and safe disposal of the 29 existing Labcaire (+) ductless fume hoods and class II biologic safety cabinets which have reached their end of life.

The Services must be provided in compliance with ISO17025

### **II.2.5) Award criteria**

Price is not the only award criterion and all criteria are stated only in the procurement documents

### **II.2.7) Duration of the contract, framework agreement or dynamic purchasing system**

Duration in months

36

This contract is subject to renewal

Yes

Description of renewals

The contract may be extended by further periods up to a maximum of 24 months.

### **II.2.10) Information about variants**

Variants will be accepted: No

### **II.2.11) Information about options**

Options: No

### **II.2.14) Additional information**

The contract period is for an initial term of 36 months which may be extended by the parties for further periods up to a maximum of 24 months.

---

## **Section III. Legal, economic, financial and technical information**

### **III.1) Conditions for participation**

#### **III.1.2) Economic and financial standing**

Selection criteria as stated in the procurement documents

#### **III.1.3) Technical and professional ability**

Selection criteria as stated in the procurement documents

### **III.2) Conditions related to the contract**

#### **III.2.3) Information about staff responsible for the performance of the contract**

Obligation to indicate the names and professional qualifications of the staff assigned to performing the contract

---

## **Section IV. Procedure**

### **IV.1) Description**

#### **IV.1.1) Type of procedure**

Open procedure

#### **IV.1.8) Information about the Government Procurement Agreement (GPA)**

The procurement is covered by the Government Procurement Agreement: No

### **IV.2) Administrative information**

#### **IV.2.1) Previous publication concerning this procedure**

Notice number: [2022/S 000-000122](#)

#### **IV.2.2) Time limit for receipt of tenders or requests to participate**

Date

2 August 2022

Local time

12:00pm

**IV.2.4) Languages in which tenders or requests to participate may be submitted**

English

**IV.2.6) Minimum time frame during which the tenderer must maintain the tender**

Duration in months: 6 (from the date stated for receipt of tender)

**IV.2.7) Conditions for opening of tenders**

Date

2 August 2022

Local time

1:00pm

---

## **Section VI. Complementary information**

### **VI.1) Information about recurrence**

This is a recurrent procurement: No

### **VI.2) Information about electronic workflows**

Electronic ordering will be used

Electronic invoicing will be accepted

Electronic payment will be used

### **VI.4) Procedures for review**

#### **VI.4.1) Review body**

Mayors Office for Policing and Crime (c/o MPS)

C/O Post Room at Marlowe House, 105 Station Road, Kent

Sidcup

DA15 7ES

Country

United Kingdom

#### **VI.4.3) Review procedure**

Precise information on deadline(s) for review procedures

Precise information on deadline(s) for lodging appeals: Proceedings must be brought within 30 days of the date on which the economic operator knew or ought to have known of the breach of duty owed to it by the contracting authority unless the court considers there is good reason for extending the period within which proceedings can be brought.