

This is a published notice on the Find a Tender service: <https://www.find-tender.service.gov.uk/Notice/023643-2021>

Not applicable

## **Provision of Lateral Flow testing devices for the detection of COVID-19 viral antigens**

Department of Health and Social Care

F14: Notice for changes or additional information

Notice identifier: 2021/S 000-023643

Procurement identifier (OCID): ocids-h6vhtk-0298ef

Published 23 September 2021, 9:21am

### **Section I: Contracting authority/entity**

#### **I.1) Name and addresses**

Department of Health and Social Care

39 Victoria Street

London

SW1H 0EU

#### **Email**

[Procurement.operations@dhsc.gov.uk](mailto:Procurement.operations@dhsc.gov.uk)

#### **Country**

United Kingdom

#### **NUTS code**

UKI32 - Westminster

#### **Internet address(es)**

Main address

<https://www.gov.uk/government/organisations/department-of-health-and-social-care>

Buyer's address

<https://www.gov.uk/government/organisations/department-of-health-and-social-care>

---

## **Section II: Object**

### **II.1) Scope of the procurement**

#### **II.1.1) Title**

Provision of Lateral Flow testing devices for the detection of COVID-19 viral antigens

#### **II.1.2) Main CPV code**

- 33141625 - Diagnostic kits

#### **II.1.3) Type of contract**

Supplies

#### **II.1.4) Short description**

First call off following an Invitation to Tender subsequent to a contract notice on the Find a Tender Service on 5 March 2021 seeking requests to participate from providers of lateral flow testing kits (divided into Lots) in a dynamic purchasing system for the supply of such goods to DHSC.

---

## **Section VI. Complementary information**

### **VI.6) Original notice reference**

Notice number: [2021/S 000-016597](#)

---

## Section VII. Changes

### VII.1.2) Text to be corrected in the original notice

Section number

II.1.5.1

Place of text to be modified

Estimated total value

Instead of

Text

62475000

Read

Text

240975000

Section number

V.2.4.1

Place of text to be modified

Initial estimated total value

Instead of

Text

62475000

Read

Text

240975000