

This is a published notice on the Find a Tender service: <https://www.find-tender.service.gov.uk/Notice/024089-2022>

Planning

Pneumatic Tube System (PTS) for new hospital - Request for information

NHS Lanarkshire

F01: Prior information notice

Prior information only

Notice identifier: 2022/S 000-024089

Procurement identifier (OCID): ocds-h6vhtk-0363d3

Published 29 August 2022, 4:06pm

Section I: Contracting authority

I.1) Name and addresses

NHS Lanarkshire

NHS Lanarkshire Headquarters, Kirklands, Fallside Road

Bothwell

G71 8BB

Email

mrp.team@lanarkshire.scot.nhs.uk

Telephone

+44 1698752649

Country

United Kingdom

NUTS code

UKM8 - West Central Scotland

Internet address(es)

Main address

<http://www.nhslanarkshire.org.uk>

Buyer's address

https://www.publiccontractsscotland.gov.uk/search/Search_AuthProfile.aspx?ID=AA00297

I.3) Communication

Additional information can be obtained from the above-mentioned address

I.4) Type of the contracting authority

Body governed by public law

I.5) Main activity

Health

Section II: Object

II.1) Scope of the procurement

II.1.1) Title

Pneumatic Tube System (PTS) for new hospital - Request for information

II.1.2) Main CPV code

- 64000000 - Postal and telecommunications services

II.1.3) Type of contract

Services

II.1.4) Short description

The Contractor for the new Monklands Hospital (under separate procurement) will be required to provide and install a Pneumatic Tube System (PTS) as part of the project. The PTS will be used to transport pods containing materials, goods, samples to various wards and departments within the hospital via a tube system infrastructure. In order for NHS Lanarkshire to provide a specification to the contractor for the PTS, NHS Lanarkshire would like to have dialogue with the market to understand what is available.

II.1.6) Information about lots

This contract is divided into lots: No

II.2) Description

II.2.3) Place of performance

NUTS codes

- UKM84 - North Lanarkshire

Main site or place of performance

New Monklands Hospital site, Wester Moffat

II.2.4) Description of the procurement

The Contractor for the new Monklands Hospital (under separate procurement) will be required to provide and install a Pneumatic Tube System (PTS) as part of the project. The PTS will be used to transport pods containing materials, goods, samples to various wards and departments within the hospital via a tube system infrastructure.

In order for NHS Lanarkshire to provide a specification to the contractor for the PTS, NHS Lanarkshire would like to have dialogue with the market to understand what is available. In particular, NHS Lanarkshire is interested in the ability to send and receive hard copy mail (standard letters/A4 letters) across the facility to designated stations as standard: We would like to understand the if there is scope to enhance the use of the traditional POD system.

II.2.14) Additional information

NHS Lanarkshire will not be procuring these items or the service. The purpose of this PIN is to invite dialogue with providers of PTS systems in order to understand what is available in the market. Although a date for the publication of a contract notice is required for this PIN, the date reflects the possible date of the contractor's need to approach the market for this procurement.

II.3) Estimated date of publication of contract notice

31 December 2023

Section IV. Procedure

IV.1) Description

IV.1.8) Information about the Government Procurement Agreement (GPA)

The procurement is covered by the Government Procurement Agreement: Yes

Section VI. Complementary information

VI.3) Additional information

Please email mrp.team@lanarkshire.scot.nhs.uk with subject/header: MRP PTS - [your company name] with information about your product/service and the best email address on which to reach you.

NOTE: To register your interest in this notice and obtain any additional information please visit the Public Contracts Scotland Web Site at https://www.publiccontractsscotland.gov.uk/Search/Search_Switch.aspx?ID=704282.

(SC Ref:704282)