

This is a published notice on the Find a Tender service: <https://www.find-tender.service.gov.uk/Notice/027216-2022>

Not applicable

## **Preliminary Market Engagement - Winfrith Removal of Held-up water from Terrestrial section of the Sea Discharge Pipeline**

Magnox Ltd

F14: Notice for changes or additional information

Notice identifier: 2022/S 000-027216

Procurement identifier (OCID): ocds-h6vhtk-0324e5

Published 28 September 2022, 3:48pm

### **Section I: Contracting authority/entity**

#### **I.1) Name and addresses**

Magnox Ltd

Oldbury Technical Centre

Thornbury

BS35 1RQ

#### **Contact**

Christine Huckin

#### **Email**

[Christine.huckin@magnoxsites.com](mailto:Christine.huckin@magnoxsites.com)

#### **Telephone**

+44 7712239393

**Country**

United Kingdom

**Region code**

UKK25 - Dorset

**National registration number**

2264251

**Internet address(es)**

Main address

<https://www.gov.uk/government/case-studies/shared-services-alliance-ssa-for-nuclear-decommissioning-estate>

---

## **Section II: Object**

### **II.1) Scope of the procurement**

#### **II.1.1) Title**

Preliminary Market Engagement - Winfrith Removal of Held-up water from Terrestrial section of the Sea Discharge Pipeline

Reference number

Preliminary Market Engagement

#### **II.1.2) Main CPV code**

- 45232150 - Works related to water-distribution pipelines

#### **II.1.3) Type of contract**

Works

#### **II.1.4) Short description**

Magnox Limited is currently preparing to initiate a procurement process for the removal of held up water in the terrestrial element of the Winfrith sea pipeline. Magnox wish to carry out pre-market engagement with interested suppliers to investigate the current market capabilities and gain knowledge about existing and future products and techniques which may assist informing Magnox in the development of the tender documentation.

The procurement is for the removal of held-up water contained within 9.3kms of the terrestrial section of Winfrith's sea-discharge pipelines (SDP). The twin pipelines run approximately 1.50m below ground level through predominantly arable farmland.

---

## **Section VI. Complementary information**

### **VI.6) Original notice reference**

Notice number: [2022/S 000-007755](#)

---

## Section VII. Changes

### VII.1.2) Text to be corrected in the original notice

Section number

V11

Instead of

Date

30 September 2022

Local time

12:00pm

Read

Date

31 October 2022

Local time

12:00pm