This is a published notice on the Find a Tender service: https://www.find-tender.service.gov.uk/Notice/032304-2022

Not applicable

Identifying potential receptors to groundwater heating and cooling systems and reviewing the state of the market

Defra and ALBs

F14: Notice for changes or additional information

Notice identifier: 2022/S 000-032304

Procurement identifier (OCID): ocds-h6vhtk-0383e0

Published 15 November 2022, 9:11am

Section I: Contracting authority/entity

I.1) Name and addresses

Defra and ALBs

Smith Square

London

SW1P 3JR

Contact

Jemma Godleman

Email

jemma.godleman@defra.gov.uk

Country

United Kingdom

Region code

UK - United Kingdom

Justification for not providing organisation identifier

Not on any register

Internet address(es)

Main address

https://www.gov.uk/government/organisations/department-for-environment-food-rural-affairs

Buyer's address

https://www.gov.uk/government/organisations/department-for-environment-food-rural-affairs/about/procurement

Section II: Object

II.1) Scope of the procurement

II.1.1) Title

Identifying potential receptors to groundwater heating and cooling systems and reviewing the state of the market

Reference number

C5205

II.1.2) Main CPV code

73000000 - Research and development services and related consultancy services

II.1.3) Type of contract

Services

II.1.4) Short description

Heat Pumps

Section VI. Complementary information

VI.6) Original notice reference

Notice number: <u>2022/S 000-032097</u>

Section VII. Changes

VII.1.2) Text to be corrected in the original notice

Section number

IV.2.6.1

Place of text to be modified

Tender must be valid until

Instead of

Date

12 June 2023

Read

Date

14 June 2023

Section number

IV.2.7.1

Place of text to be modified

Tender opening date

Instead of

Date

12 December 2022

Local time

Read Date
14 December 2022
Local time
1:00pm
Section number
IV.2.2.1
Place of text to be modified
Deadline for EOI date
Instead of Date
12 December 2022
Local time
12:00pm
Read Date
14 December 2022
Local time
12:00pm

1:00pm