

This is a published notice on the Find a Tender service: <https://www.find-tender.service.gov.uk/Notice/037717-2023>

Not applicable

Smart Metering Supply, Installation & Connectivity Services

United Utilities Water Limited

F14: Notice for changes or additional information

Notice identifier: 2023/S 000-037717

Procurement identifier (OCID): ocds-h6vhtk-03927b

Published 21 December 2023, 3:20pm

Section I: Contracting authority/entity

I.1) Name and addresses

United Utilities Water Limited

Lingley Mere Business Park

Warrington

WA5 3LP

Contact

Michael Jones

Email

michael.jones2@uuplc.co.uk

Telephone

+44 7901172777

Country

United Kingdom

Region code

UK - United Kingdom

National registration number

02366678

Internet address(es)

Main address

<https://www.unitedutilities.com>

Buyer's address

<https://uk.eu-supply.com/ctm/Company/CompanyInformation/Index/43984>

Section II: Object

II.1) Scope of the procurement

II.1.1) Title

Smart Metering Supply, Installation & Connectivity Services

Reference number

PRO004731

II.1.2) Main CPV code

- 50411100 - Repair and maintenance services of water meters

II.1.3) Type of contract

Services

II.1.4) Short description

United Utilities (UU) have committed to the rollout of more than 900,000 Smart AMI meters during AMP 8 as a key enabler to reduce water supply volumes (via reductions in per capita consumption (“PCC”), reductions in customer-side leakage (“CSL”) and non-household (“NHH”) demand). In order to achieve this UU intend to appoint a single prime contractor to deliver the full scope of services (Smart Meter supply, meter installation and connectivity services/comms), whether directly or through sub-contract arrangements, for the 5 year AMP 8 period, with extension options up to the end of AMP 9.

Section VI. Complementary information

VI.6) Original notice reference

Notice number: [2023/S 000-037337](#)

Section VII. Changes

VII.1.2) Text to be corrected in the original notice

Section number

II.1.4

Instead of

Text

non-half-hourly

Read

Text

non-household

Section number

II.2.4

Instead of

Text

non-half-hourly

Read

Text

non-household