

This is a published notice on the Find a Tender service: <https://www.find-tender.service.gov.uk/Notice/038867-2024>

Tender

## **ES1646-1 - Supply and Installation of Air Quality Monitoring Equipment**

Wiltshire Council

F02: Contract notice

Notice identifier: 2024/S 000-038867

Procurement identifier (OCID): ocds-h6vhtk-04c1b9

Published 3 December 2024, 11:01am

### **Section I: Contracting authority**

#### **I.1) Name and addresses**

Wiltshire Council

Wiltshire Council, County Hall, Bythesea Road

Trowbridge

BA14 8JN

#### **Contact**

Miss Helen Danford

#### **Email**

[helen.danford@wiltshire.gov.uk](mailto:helen.danford@wiltshire.gov.uk)

#### **Telephone**

+44 1225713267

#### **Fax**

+44 1225713083

**Country**

United Kingdom

**Region code**

UKK15 - Wiltshire CC

**Internet address(es)**

Main address

<http://www.wiltshire.gov.uk/>

Buyer's address

<http://www.wiltshire.gov.uk/>

**I.3) Communication**

The procurement documents are available for unrestricted and full direct access, free of charge, at

<https://procontract.due-north.com/>

Additional information can be obtained from the above-mentioned address

Tenders or requests to participate must be submitted electronically via

<https://procontract.due-north.com/>

**I.4) Type of the contracting authority**

Regional or local authority

**I.5) Main activity**

General public services

---

## **Section II: Object**

### **II.1) Scope of the procurement**

#### **II.1.1) Title**

ES1646-1 - Supply and Installation of Air Quality Monitoring Equipment

Reference number

DN754461

#### **II.1.2) Main CPV code**

- 90731100 - Air quality management

#### **II.1.3) Type of contract**

Services

#### **II.1.4) Short description**

Supply and installation of air quality real time data collection equipment, infrastructure and servicing including:

Equipment requirement

1. Chemiluminescent continuous analysers (or an equivalent MCERTS reference method) for oxides of nitrogen and Beta Attenuation, TEOM (or Equivalent MCERTS reference method) for particulates (PM10 and PM2.5) in two locations.

2. Street enclosures, air cooling units (as required), calibration gases, data loggers and remote communications for downloading data, & associated infrastructure to enable this in two locations.

The equipment must be mobile allowing it to be relocated if required to other areas of concern.

Servicing requirement

We will require servicing for the new monitoring equipment under warranty for the two-year initial term of the contract to include all elements of service, maintenance and repair in accordance with Defra guidance (LAQM.TG22) plus an additional option to extend the contract for a further three years in 12-month periods. The service contract will need to

include the replacement of spare parts in the event of equipment failure.

#### **II.1.6) Information about lots**

This contract is divided into lots: No

### **II.2) Description**

#### **II.2.2) Additional CPV code(s)**

- 90731400 - Air pollution monitoring or measurement services

#### **II.2.3) Place of performance**

NUTS codes

- UKK15 - Wiltshire CC

#### **II.2.4) Description of the procurement**

Supply and installation of air quality real time data collection equipment, infrastructure and servicing including:

Equipment requirement

1. Chemiluminescent continuous analysers (or an equivalent MCERTS reference method) for oxides of nitrogen and Beta Attenuation, TEOM (or Equivalent MCERTS reference method) for particulates (PM10 and PM2.5) in two locations.

2. Street enclosures, air cooling units (as required), calibration gases, data loggers and remote communications for downloading data, & associated infrastructure to enable this in two locations.

The equipment must be mobile allowing it to be relocated if required to other areas of concern.

Servicing requirement

We will require servicing for the new monitoring equipment under warranty for the two-year initial term of the contract to include all elements of service, maintenance and repair in accordance with Defra guidance (LAQM.TG22) plus an additional option to extend the contract for a further three years in 12-month periods. The service contract will need to include the replacement of spare parts in the event of equipment failure.

#### **II.2.5) Award criteria**

Price is not the only award criterion and all criteria are stated only in the procurement documents

**II.2.7) Duration of the contract, framework agreement or dynamic purchasing system**

Duration in months

60

This contract is subject to renewal

Yes

Description of renewals

The initial term is two years (24 months).

The extension period is three years in periods of up to 12 months.

**II.2.10) Information about variants**

Variants will be accepted: No

**II.2.11) Information about options**

Options: No

**II.2.13) Information about European Union Funds**

The procurement is related to a project and/or programme financed by European Union funds: No

---

## **Section IV. Procedure**

### **IV.1) Description**

#### **IV.1.1) Type of procedure**

Open procedure

#### **IV.1.8) Information about the Government Procurement Agreement (GPA)**

The procurement is covered by the Government Procurement Agreement: Yes

### **IV.2) Administrative information**

#### **IV.2.2) Time limit for receipt of tenders or requests to participate**

Date

17 January 2025

Local time

2:00pm

#### **IV.2.4) Languages in which tenders or requests to participate may be submitted**

English

#### **IV.2.7) Conditions for opening of tenders**

Date

17 January 2025

Local time

2:00pm

---

## **Section VI. Complementary information**

### **VI.1) Information about recurrence**

This is a recurrent procurement: Yes

### **VI.4) Procedures for review**

#### **VI.4.1) Review body**

High Court of England and Wales

The Royal Court of Justice, Strand

London

WC2A 2LL

Country

United Kingdom