This is a published notice on the Find a Tender service: <a href="https://www.find-tender.service.gov.uk/Notice/047198-2025">https://www.find-tender.service.gov.uk/Notice/047198-2025</a>

**Award** 

# Provision of Gas Monitors and Associated Equipment for CBRN

Police and Crime Commissioner for West Midlands

UK5: Transparency notice - Procurement Act 2023 - view information about notice types

Notice identifier: 2025/S 000-047198

Procurement identifier (OCID): ocds-h6vhtk-058402 (view related notices)

Published 8 August 2025, 11:18am

## Scope

#### Reference

WMP0827

#### **Description**

Provision of Gas Monitors and Associated Equipment. A total of 2000 O<sup>2</sup> Gas Monitors are required operationally for CBRN capability.

**Contract 1. Provision of Gas Monitors and Associated Equipment** 

## for CBRN

# **Supplier**

• Crowcon Detection Instruments Limited

#### **Contract value**

• £423,600 including VAT

Above the relevant threshold

# Earliest date the contract will be signed

12 August 2025

## **Contract dates (estimated)**

- 15 August 2025 to 14 August 2030
- 5 years

# Main procurement category

Goods

# **CPV** classifications

• 38543000 - Gas-detection equipment

## **Contract locations**

• UK - United Kingdom

#### Other information

## Conflicts assessment prepared/revised

Yes

## **Procedure**

## **Procedure type**

Direct award

# **Direct award justification**

Extreme and unavoidable urgency

The risks of delaying award by conducting a competitive tendering procedure are that the current capability and response could be severely impacted, in the event of any CBRN response where respiratory protection is required by our specialists.

#### Risks / Concerns:

- Potential loss of all CBRN capability if current operational Oxygen gas monitors fail before or during use
- A lead time of 10 weeks to ensure delivery of any replacements (in its entirety of 2000)
- A lead time of at least 4 weeks, to ensure online video-based training is completed

- The legality of deploying Armed Response Police Officers and other CBRN Responders into a scene without an Oxygen gas monitor, as this goes against the current safe system of work and its associated training
- The possibility that officers may refuse to deploy without the proper or in-service monitoring equipment

# Supplier

#### **Crowcon Detection Instruments Limited**

• Companies House: 00978878

172 Brook Drive, Milton Park

Abingdon

**OX14 4SD** 

**United Kingdom** 

Email: info@crowcon.com

Region: UKJ14 - Oxfordshire

Small or medium-sized enterprise (SME): No

Voluntary, community or social enterprise (VCSE): No

Contract 1. Provision of Gas Monitors and Associated Equipment for CBRN

# **Contracting authority**

## **Police and Crime Commissioner for West Midlands**

• Public Procurement Organisation Number: PHLH-1699-TDLT

Lloyd House, Colmore Circus Queensway

Birmingham

B4 6AT

**United Kingdom** 

Email: procurement@westmidlands.police.uk

Region: UKG31 - Birmingham

Organisation type: Public authority - sub-central government