

This is a published notice on the Find a Tender service: <https://www.find-tender.service.gov.uk/Notice/047198-2025>

Award

## **Provision of Gas Monitors and Associated Equipment for CBRN**

Police and Crime Commissioner for West Midlands

UK5: Transparency notice - Procurement Act 2023 - [view information about notice types](#)

Notice identifier: 2025/S 000-047198

Procurement identifier (OCID): ocds-h6vhtk-058402 ([view related notices](#))

Published 8 August 2025, 11:18am

### **Scope**

### **Reference**

WMP0827

### **Description**

Provision of Gas Monitors and Associated Equipment. A total of 2000 O<sup>2</sup> Gas Monitors are required operationally for CBRN capability.

---

## **Contract 1. Provision of Gas Monitors and Associated Equipment**

## **for CBRN**

### **Supplier**

- Crowcon Detection Instruments Limited

### **Contract value**

- £423,600 including VAT

Above the relevant threshold

### **Earliest date the contract will be signed**

12 August 2025

### **Contract dates (estimated)**

- 15 August 2025 to 14 August 2030
- 5 years

### **Main procurement category**

Goods

### **CPV classifications**

- 38543000 - Gas-detection equipment

### **Contract locations**

- UK - United Kingdom

---

## Other information

### Conflicts assessment prepared/revised

Yes

---

## Procedure

### Procedure type

Direct award

### Direct award justification

Extreme and unavoidable urgency

The risks of delaying award by conducting a competitive tendering procedure are that the current capability and response could be severely impacted, in the event of any CBRN response where respiratory protection is required by our specialists.

Risks / Concerns:

- Potential loss of all CBRN capability if current operational Oxygen gas monitors fail before or during use
- A lead time of 10 weeks to ensure delivery of any replacements (in its entirety of 2000)
- A lead time of at least 4 weeks, to ensure online video-based training is completed

- The legality of deploying Armed Response Police Officers and other CBRN Responders into a scene without an Oxygen gas monitor, as this goes against the current safe system of work and its associated training
- The possibility that officers may refuse to deploy without the proper or in-service monitoring equipment

---

## Supplier

### **Crowcon Detection Instruments Limited**

- Companies House: 00978878

172 Brook Drive, Milton Park

Abingdon

OX14 4SD

United Kingdom

Email: [info@crowcon.com](mailto:info@crowcon.com)

Region: UKJ14 - Oxfordshire

Small or medium-sized enterprise (SME): No

Voluntary, community or social enterprise (VCSE): No

Contract 1. Provision of Gas Monitors and Associated Equipment for CBRN

---

## **Contracting authority**

### **Police and Crime Commissioner for West Midlands**

- Public Procurement Organisation Number: PHLH-1699-TDLT

Lloyd House, Colmore Circus Queensway

Birmingham

B4 6AT

United Kingdom

Email: [procurement@westmidlands.police.uk](mailto:procurement@westmidlands.police.uk)

Region: UKG31 - Birmingham

Organisation type: Public authority - sub-central government