

This is a published notice on the Find a Tender service: <https://www.find-tender.service.gov.uk/Notice/049929-2025>

Contract

STEC Water Sampling and Detection Technology using the Brown Rot River Survey

Food Standards Agency

UK7: Contract details notice - Procurement Act 2023 - [view information about notice types](#)

Notice identifier: 2025/S 000-049929

Procurement identifier (OCID): ocds-h6vhtk-058ac0

Published 19 August 2025, 4:14pm

Scope

Reference

C379021

Description

STEC Water Sampling and Detection Technology using the Brown Rot River Survey. This will be a feasibility study utilising a 'sample once, test for many' One Health approach.

Contract 1. STEC Water Sampling and Detection Technology using the Brown Rot River Survey

Supplier

- [Fera Science Limited](#)

Contract value

- £100,787.44 excluding VAT
- £120,944.92 including VAT

Below the relevant threshold

Date signed

11 August 2025

Contract dates

- 12 August 2025 to 31 January 2026
- Possible extension to 31 July 2026
- 11 months, 20 days

Description of possible extension:

6 month optional extension

Main procurement category

Services

CPV classifications

- 73000000 - Research and development services and related consultancy services

Contract locations

- UK - United Kingdom

Procedure

Procedure type

Below threshold - without competition

Supplier

Fera Science Limited

- Public Procurement Organisation Number: PDGX-4332-VPXR

York BioTech Campus, Sand Hutton,

York

YO41 1LZ

United Kingdom

Email: tracker@fera.co.uk

Region: UKE22 - North Yorkshire CC

Small or medium-sized enterprise (SME): No

Voluntary, community or social enterprise (VCSE): No

Contract 1. STEC Water Sampling and Detection Technology using the Brown Rot River Survey

Contracting authority

Food Standards Agency

- Public Procurement Organisation Number: PJRM-6866-LYYX

YO1 7PR

York

YO1 7PR

United Kingdom

Email: fsa.commercial@food.gov.uk

Website: <https://www.food.gov.uk/>

Region: UKE21 - York

Organisation type: Public authority - central government

