

This is a published notice on the Find a Tender service: <https://www.find-tender.service.gov.uk/Notice/050241-2025>

Contract

## **Provision of Gas Monitors and Associated Equipment for CBRN**

Police and Crime Commissioner for West Midlands

UK7: Contract details notice - Procurement Act 2023 - [view information about notice types](#)

Notice identifier: 2025/S 000-050241

Procurement identifier (OCID): ocds-h6vhtk-058402 ([view related notices](#))

Published 20 August 2025, 3:04pm

### **Scope**

### **Description**

Provision of Gas Monitors and Associated Equipment. Single-gas Oxygen (O<sup>2</sup>) detectors are an integral part of CBRN protection capability. The detectors are used by responders as a defensive detection and monitoring device to enable safe systems of work.

A total of 2000 O<sup>2</sup> Gas Monitors are required operationally.

---

### **Contract 1. Provision of Gas Monitors and Associated Equipment for CBRN**

## **Supplier**

- Crowcon Detection Instruments Limited

## **Contract value**

- £423,600 including VAT

Above the relevant threshold

## **Date signed**

15 August 2025

## **Contract dates**

- 15 August 2025 to 14 August 2030
- 5 years

## **Main procurement category**

Goods

## **CPV classifications**

- 38431100 - Gas-detection apparatus
- 38543000 - Gas-detection equipment

## **Contract locations**

- UK - United Kingdom

## **Justification for not setting key performance indicators**

Below £5m and a one-off purchase

---

## **Other information**

### **Conflicts assessment prepared/revised**

Yes

---

## **Procedure**

### **Procedure type**

Direct award

### **Direct award justification**

Extreme and unavoidable urgency

The risks of delaying award by conducting a competitive tendering procedure are that the current capability and response could be severely impacted, in the event of any CBRN response where respiratory protection is required by our specialists.

Risks:

- Potential loss of all CBRN capability if current operational Oxygen gas monitors fail before or during use

- The legality of deploying Armed Response Police Officers and other CBRN Responders into a scene without an Oxygen gas monitor, as this goes against the current safe system of work and its associated training
- The possibility that officers may refuse to deploy without the proper or in service monitoring equipment

---

## **Supplier**

### **Crowcon Detection Instruments Limited**

- Companies House: 00978878

172 Brook Drive, Milton Park

Abingdon

OX14 4SD

United Kingdom

Email: [info@crowcon.com](mailto:info@crowcon.com)

Region: UKJ14 - Oxfordshire

Small or medium-sized enterprise (SME): No

Voluntary, community or social enterprise (VCSE): No

Supported employment provider: No

Public service mutual: No

Contract 1. Provision of Gas Monitors and Associated Equipment for CBRN

---

## Contracting authority

### **Police and Crime Commissioner for West Midlands**

- Public Procurement Organisation Number: PHLH-1699-TDLT

Lloyd House, Colmore Circus Queensway

Birmingham

B4 6AT

United Kingdom

Email: [procurement@westmidlands.police.uk](mailto:procurement@westmidlands.police.uk)

Region: UKG31 - Birmingham

Organisation type: Public authority - sub-central government