

Annex 2 – Venue Requirements

Venue requirements in detail for Paper Based (PB) and Computer Based Testing (CBT)

CBT Venue Requirements

1 Facilities:

1.1 Venue Owner shall:

- 1.1.1 provide Venue(s) for the use of the British Council for the duration of each Session.
- 1.1.2 provide Venue(s) which shall include three (3) separate areas: i) an area for Candidates to wait in advance of the Exam Sitting (“**Candidate Waiting Area**”). ii) an area for checking in Candidates and monitoring exams (“**Exam Administrator Area**”). and iii) a secure room in which Candidates sit the exams (“**Exam Room**”). For the avoidance of doubt, the Candidate Waiting Area and Exam Administrator Area may be in the Exam Room but within distinct separate areas of the same.
- 1.1.3 provide Exam Rooms with networked computer equipment in-situ as set out at Schedule 4 (Technical & Technical Support Requirements).
- 1.1.4 ensure that all Servers supporting CB examinations are maintained on the venue premises in a secure room with restricted and controlled access.
- 1.1.5 ensure that the networked computer equipment’s Microsoft operating licences are original and valid for the duration of any of the Sessions.
- 1.1.6 provide to the British Council and/or the Application Provider a copy of the Microsoft activation message window for the machine being used as a server.
- 1.1.7 ensure that the branded signage provided by the British Council is clearly identifiable for Candidates.
- 1.1.8 Sound system and Microphones
 - Each exam hall must be equipped with a functional sound system and microphone for announcements.
- 1.1.9 Ensure power back-up during exam session in case of power failure with adequate generator and fuel.
- 1.1.10 provide Venue(s) that is/are close to local travel facilities with disabled access to the building.
- 1.1.11 ensure a disabled toilet is clean and available within each Venue.
- 1.1.12 ensure clean and available, separate male and female toilets within each Venue.
- 1.1.13 Provide cleaner and janitorial staff during exam session as per mentioned specs

Annex 2 – Venue Requirements

- A dedicated cleaner must be assigned for the exam rooms/halls.
- Responsible for maintaining cleanliness before, during, and after the exam session.
- Dedicated janitorial personnel must be available throughout the exam duration.
- Washrooms must be cleaned and always maintained to ensure hygiene for candidates and staff.

1.1.14 ensure that all Venue compliance certification is appropriately displayed including Fire Safety and relevant Health & Safety.

1.1.15 ensure that all fire exits are clearly marked, and fire extinguishers are checked and in sight within the Venue.

1.1.16 ensure that there are clear instructions regarding fire evacuation processes which are visible within the Venue.

1.1.17 provide fire detection equipment and alarms within the Venue(s).

1.1.18 Selected venue should also have multimedia equipment as per mentioned specs

- Venue should provide a projector and projection screen when requested.
- Equipment must be functional, with backup cabling and essential accessories.

1.1.19 ensure that the Exam Room has secure access for authorised Test Day Personnel and Candidates during the exam.

1.1.20 ensure all Exam Rooms are located away from areas of high footfall or noise, or where training is being conducted.

1.1.21 ensure all Exam Rooms have adequate spacing between desks or partitions to prevent cheating. The minimum distance between the edge of one screen and the edge of the next is 1.25 meters unless the monitors are positioned back-to-back or separated by dividers. If using partitions, these must be both high and long enough on all sides to prevent Candidates from seeing each other's screens. Any such partitions must be sturdy so as not to fall over during any Exam Sitting. If privacy filters are used, Venue Owner will need to ensure that it is not possible for Candidates to see each other's screens.

1.1.22 provide Exam Rooms which have a controlled, comfortable temperature with air conditioning and/or heating systems as appropriate.

1.1.23 ensure a digital clock (2ft x 2ft), in a highly visible location within each Exam Room.

1.1.24 provide desks with a suitable adjustable chair for each Candidate within each Exam Room.

1.1.25 provide a desk for the test administrator which will be positioned at the front of each Exam Room, facing the Candidates.

Annex 2 – Venue Requirements

- 1.1.26 ensure that each Exam Room has adequate lighting and window coverings that prevent screen glare. and
- 1.1.27 provide to the British Council, or its authorised representatives, a completed, signed Daily Setup Checklist in the form set out in Schedule 5 (or as otherwise provided by the British Council from time to time) for each day of a Session.
- 1.1.28 provide mineral water (19 Litre with dispenser or 500ML bottle) for all candidate and staff members to be provided, as confirmed by The British Council.
- 1.1.29 provide disposable cups for water. and
- 1.1.30 provide tea/coffee/snacks refreshments to British Council designated staff (venue staff and/or Examiners).

2 General Security:

- 2.1 Venue Owner shall:
 - 2.1.1 provide the Exam Administrator Area which shall be a clearly defined space or room (if available), outside (or inside, but in its own designated area) of the Exam Room for Candidates to be registered and their identity to be checked. This space must be adequate for the number of Candidates registered (as notified to Venue Owner by the British Council) and for the Test Day Personnel to carry out the registration/exam administration procedures.
 - 2.1.2 in the Candidate Waiting Area (or area adjacent to it), provide secure storage for Candidates' belongings (e.g. mobile phones). This storage space must be sufficient for the number of Candidates attending each Exam Sitting. For the avoidance of doubt this may be outside or inside of the Exam Room and the belonging area must be covered under CCTV surveillance from all corners.
 - 2.1.3 provide secure storage for British Council staff (including Test Day Personnel) belongings (e.g. mobile phones). and
 - 2.1.4 ensure that each Venue is aware that the End Client (and, where applicable, its clients) may send an examination and/or security auditor (or auditors) to audit any Exam Sitting during any Session and ensure that any such examination auditor(s) is/are assisted as necessary and escorted to their chosen Exam Sitting without delay.
 - 2.1.5 Walkthrough security gate should be present
 - One (1) walkthrough gate required for every 100 test takers.
 - Must be operational throughout candidate entry and screening.
 - 2.1.6 Provide Security Guards as per mentioned details
 - Two (2) exam-specific security guards required for every 100 test takers (TTs):

Annex 2 – Venue Requirements

- 1 Male guard
- 1 Female guard
- Guards must be stationed inside/at the exam halls only (not shared with general premises security).

3 Data Security

3.1 Venue Owner shall:

- 3.1.1 comply with its obligations under clause **Error! Reference source not found.** of Schedule 1.
- 3.1.2 provide a secure Local Area Network and secure internet connectivity.
- 3.1.3 Ensure comprehensive coverage of customer journeys, routes and points, including but not limited to, such perimeters, parking lots, and storage spaces, walkways, hallways, Internal and external building spaces and other relevant zones, through the use of CCTV surveillance. These surveillance systems should ensure the capture of clear and identifiable images whenever needed. Recordings, footages, or clips should be retained for a period ranging between 60 to 90 days.
- 3.1.4 ensure that the correct system protection is in place so that:
 - (i) the Application Provider's software is not vulnerable to malicious 3rd party activity or virus.
 - (ii) the End Client's CBT questions are not vulnerable to malicious 3rd party activity or virus.
 - (iii) the CBT Data are not vulnerable to malicious 3rd party activity or virus. and
 - (iv) any other data provided under this Agreement are not vulnerable to malicious 3rd party activity or virus.

3.2 Venue Owner shall not, unless and until notified by the British Council, remove, delete, re-image or extract any data from any server supporting CBT.

3.3 Venue Owner shall allow the British Council, the Application Provider, and/or any third party authorised by the British Council or the End Client access to the Venue and/or remote access to its CBT supporting server(s) in order to allow:

- 3.3.1 extraction of CBT Data. and/or
- 3.3.2 cleansing of CBT Data.

4 Technology

4.1 Venue Owner shall:

- 4.1.1 ensure the Venue can meet the minimum technical requirement as set out in Schedule 4 (Technical and Technical Support Requirements) and in Schedule 6 (Order Form).
- 4.1.2 inform the British Council of any plans to upgrade or change its systems or IT equipment as set out in Schedule 1, Clause 5.2. and

Annex 2 – Venue Requirements

4.1.3 ensure the Venue's experienced technician is available on site at the Venue, and able to communicate in English with sufficient fluence to work with the Application Provider to ensure the Application Provider's software installation and testing is successful.

5 Other Requirements

5.1 Venue Owner shall ensure that:

5.1.1 the Venues are and will remain available for each Exam Sitting during the Session(s) with particular attention to ensuring that:

- (i) there are no planned Fire Drills timetabled during an Exam Sitting.
- (ii) there is no existing and/or any new cause or action being instigated against the Venue which may prevent or impede access to the Venue. and
- (iii) any potential change, or change, of Control taking place ahead of the relevant Exam Sitting is notified to the British Council immediately on Venue Owner becoming aware of such change.

5.1.2 all national and local requirements applicable to the Venue are met including those regarding insurance, fire and safety. and

5.1.3 no Venue will fall into insolvency, receivership or be at risk of any financial failure during the Term.

5.2 Venue Owner shall ensure that it provides the British Council with details of which Venues meet which of the following ISOs and/or any local equivalents (as updated from time to time):

- 5.2.1 **ISO 9001** Quality Management (2003)
- 5.2.2 **ISO 10002** Customer Satisfaction and Complaints Handling (2006)
- 5.2.3 **ISO 14001** Environmental Management (2006)
- 5.2.4 **ISO 27001** Information & Data Security (2008)
- 5.2.5 **ISO 23988** Use of IT in the delivery of assessments (2013)
- 5.2.6 **ISO 22301** Business Continuity (2015)

Technical and Technical Support Requirements

This Schedule sets out the Minimum Specification in relation to certain IT and network components used in the receipt by the British Council of services provided by the Application Provider to deliver CBT. In addition, paragraph 4 below sets out the related Minimum Specification for Candidate workstation equipment that the British Council requires for the purposes of its CBTs.

Venue Owner must comply with the Minimum Specification.

Hardware configuration

Annex 2 – Venue Requirements

All-in-one PC's are permitted as long as they meet the minimum Technical Specification and do not have a Touch screen. The Application Provider highly recommends that All-in-one PC's meet the Recommended Technical Specifications.

Software licenses

All Venues are required to have Windows operating systems that have completed online activation. Application software installed on all exam delivery workstations must also have current licensing. Windows Operating Systems must pass Genuine Windows Validation.

Network configuration

It is strongly recommended that all machines with VTS Software installed remain in the same domain or workgroup, VLAN, and subnet. Network configurations that do not follow this guideline may experience decreased exam delivery performance. You may be asked to make changes to your network configuration to comply with this guideline as part of problem resolution.

Monitors

Monitors for exam deliver workstations must be 17" or larger

- Must allow for the following display resolution settings:
 - 1280 x 1024
 - 1024 x 768

Monitor must be connected to the computer using DVI, DisplayPort, or HDMI

Exam Delivery

In connection with the provision of the Services by the British Council (in conjunction with the Application Provider), the Minimum and Recommended Specifications applicable for administration workstations, servers and exam delivery workstations are:

Annex 2 – Venue Requirements

Administration Workstation (Venue administrator):

Operating System	Windows 10 Professional or Enterprise (64-bit) . To have option of upgrading to windows 11.
Processor	<i>Intel</i> : i5 or higher <i>AMD</i> : Phenom II series, FX-4000 series or newer Note : CPU must have a minimum of two cores (dual-core)
RAM	16 GB of RAM or more
Hard Drive	100 GB free disk space in NTFS format
Graphics Adapter	Video Adapter support for DirectX 10 or newer. 512MB dedicated Video RAM or more. All newer computers and monitors should be connected via DVI, DisplayPort, or HDMI. OpenGL 2.0 graphics driver
Display	Monitors for exam delivery workstations must be 17" or larger • Must allow for the following display resolution settings: <ul style="list-style-type: none">• 1280 x 1024• 1024 x 768 Monitor must be connected to the computer using DVI, DisplayPort, or HDMI
Keyboard and Mouse Web Camera & Microphone	English QWERTY Keyboard 2 Button Wheel Mouse Web camera & microphone (internal or external)
Network Connection	Minimum -100-Mbps Full Duplex WIRED connection to the network switch. Recommended 1-Gbps Full Duplex WIRED connection to the network switch.
Internet Connection (where available)	Broadband (DSL, Cable or LAN/WAN). 1-Mbps down/up or better.
Internet Browser	Microsoft Edge and Google Chrome
Additional Software	Windows 10 requires, .NET 3.5, 4.0 4.5.2, and 4.6.2 to be enabled on the Administration/Proctor workstation to complete the installation. All workstations must have Enterprise Grade Anti-Virus software installed with a current update.
Security Measures	Up-to-date antimalware Activated local firewall Local device encryption

Annex 2 – Venue Requirements

	<p>Updated and patched Operating Systems and Applications</p> <p>Safely kept user account and password</p> <p>Trusted and secure internet connection</p>
Additional Notes	<p>The Windows account used to install the Application Provider's Exam Delivery Software must have administrative rights in order to install properly.</p> <p>The Windows account profile logged into the exam delivery workstation must have Administrative rights in order to launch the 'Delivery Manager' software.</p> <p>The centre admin has to make sure that the number of devices linked to a network require additional speed for e.g if the centre has 20 candidate system & 2 admin systems for a session and no other device is connected to a network then a total of 22 MBPs would be required</p> <p>If there are additional devices connected tablets, backoffice systems mobile phones then extra bandwidth will be required.</p>

Exam Delivery Workstation (Candidate):

Operating System	Windows 10 Professional or Enterprise (64-bit)
Processor	<p><i>Intel: i5 or higher</i> <i>AMD: Phenom II series, FX-4000 series or newer</i> <i>Note: CPU must have a minimum of two cores (dual-core)</i></p>
RAM	8GB of RAM
Hard Drive	100 GB free disk space in NTFS format
Graphics Adapter	<p>Video Adapter must support DirectX 10 or higher. Latest drivers installed.</p> <p>128MB of dedicated Video RAM.</p> <p>All exam delivery workstations must have a Graphics Adapter that supports GPU Scaling (sometimes called Maintaining Aspect Ratio).</p> <p>All exam delivery workstations must have the GPU Scaling feature enabled.</p> <p>All computers and monitors should be connected via DVI, DisplayPort, or HDMI.</p> <p>OpenGL 2.0 graphics driver</p>
Display	<p>Monitors for exam delivery workstations must be 17" or larger</p> <ul style="list-style-type: none"> • Must allow for the following display resolution settings:

Annex 2 – Venue Requirements

	<ul style="list-style-type: none"> • 1280 x 1024 • 1024 x 768 <p>Monitor must be connected to the computer using DVI, DisplayPort, or HDMI</p>
Keyboard and Mouse Web Camera & Microphone	<p>English QWERTY Keyboard 2 Button Wheel Mouse Web camera & microphone (internal or external)</p>
Network Connection	<p>Minimum -100-Mbps Full Duplex WIRED connection to the network switch. Recommended 1-Gbps Full Duplex WIRED connection to the network switch. Strongly Recommended: All machines with VTS Software installed should be in the same domain or workgroup, VLAN, and subnet.</p>
Internet Connection (where available)	<p>Broadband (DSL, Cable or LAN/WAN) 4 MB per 50 candidates upload 4 MB per 50 candidates</p>
Internet Browser	<p>Internet Explorer 11 required Microsoft Edge and Google Chrome</p>
Additional Software	<p>Windows 10 requires, .NET 3.5, 4.0, 4.5.2, 4.6.2 to be enabled on exam delivery workstation to complete the installation. All workstations must have Enterprise Grade Anti-Virus software installed with a current update. T</p>
Security Measures	<p>Up-to-date antimalware Activated local firewall Local device encryption Updated and patched Operating Systems and Applications Safely kept user account and password Trusted and secure internet connection</p>
Additional Notes	<p>The Windows account used to install the Application Provider's Testing System Platform must have Administrative rights to install properly. The Windows account profile logged into the exam delivery workstation must have Administrative rights to launch the Delivery Manager software. The centre admin has to make sure that the number of devices linked to a network require additional speed for e.g. if the centre has 20 candidate system & 2 admin systems for a session and no other device is connected to a network then a total of 22 MBPs would be required</p>

Annex 2 – Venue Requirements

	If there are additional devices connected tablets, back office systems mobile phones then extra bandwidth will be required.
--	---

Additional CBT minimum specification – Candidate workstation

Consistency of Equipment at a Venue. Venue Owner shall ensure that each Venue provides a consistent set of workstation hardware (computer, monitor, mouse, and keyboard) so that all Candidates sitting a CBT in a Venue use the same type of equipment. The makes and models may be different so long as they meet the minimum specification and other requirements set out in this Annex.

Non-desktop PC Devices. Where laptops without numeric keypads are used Candidates must be provided with a separate English QWERTY Keyboard with numeric keypad as well as a 2-Button Wheel Mouse.

The British Council wishes to avoid, or mitigate, the risk of a networked delivery solution by ensuring that all network connections between Venue servers, administration workstations and exam delivery workstations are wired. Therefore, when sourcing Venues and/or additional capacity, Venue Owner must not use a wireless network solution between the Venue server, the administration workstation and the exam delivery workstation, unless there is no other alternative. If any such Venues are required to meet the British Council's needs, Venue Owner must seek confirmation in writing from the British Council before engaging such a Venue.

ADDITIONS TO THE MINIMUM SPECIFICATIONS - Going Forward

Browsers, operating systems and screen resolutions

the British Council's Application Provider will support all browsers within the scope of the Minimum Specification.

Technical Support

Experienced technician(s) is/are available at each Venue for each Exam Sitting, which in addition to their technical knowledge and competence of networks and computers must be able to converse in English with the Application Provider's help desk.

PBT Venue Requirements

6 Facilities:

6.1 Venue Owner shall:

6.1.1 provide Venue(s) for the use of the British Council for the duration of each Session.

Annex 2 – Venue Requirements

6.1.2 provide Venue(s) which shall include four (3) separate areas: i) an area for Candidates to wait in advance of the Exam Sitting (“**Candidate Waiting Area**”). ii) an area for checking in Candidates and monitoring exams (“**Exam Administrator Area**”). and iii) a secure room in which Candidates sit the exams (“**Exam Room**”). iv) Parents waiting area that is neat and tidy (“**Parents Waiting Area**”), the Candidate Waiting Area and Exam Administrator Area may be in the Exam Room but within distinct separate areas of the same.

6.1.3 Parents waiting area must include

- Drinking water
- Clean seating arrangements
- Fans or coolers during the summer months.

6.1.4 provide the hall/room for Arts Exam for number of days required to maintain confidentiality.

6.1.5 provide the hall/room to conduct paper-based exams in sessions – AM and PM. The venue is required from 7:00 am till 6:00 pm for all exams except EDEXCEL where the venue is required for three sessions, from 7:00 am till 9:00 pm. For IELTS, the venue is required from 8:00 am to 6:00 pm.

6.1.6 provide Lab for Practical Exams to host science practical exams (Chemistry, Biology and Physics).

6.1.7 Selected venue should also have multimedia equipment as per mentioned specs

- Venue should provide a projector and projection screen when requested.
- Equipment must be functional, with backup cabling and essential accessories.

6.1.8 ensure that the Practical Lab is equipped with required equipment.

6.1.9 provide trained resources to support and conduct practical exams.

6.1.10 Ensure power back-up during exam session in case of power failure with adequate generator and fuel.

6.1.11 provide Exam Rooms set up in accordance with British Council's specifications.

6.1.12 ensure that the branded signage provided by the British Council is clearly identifiable for Candidates.

6.1.13 provide Venue(s) that is/are close to local travel facilities with disabled access to the building.

6.1.14 ensure a disabled toilet is clean and available within each Venue.

Annex 2 – Venue Requirements

- 6.1.15 ensure clean and available, separate male and female toilets within each Venue.
- 6.1.16 Provide cleaner and janitorial staff during exam session as per mentioned specs
 - A dedicated cleaner must be assigned for the exam rooms/halls.
 - Responsible for maintaining cleanliness before, during, and after the exam session.
 - Dedicated janitorial personnel must be available throughout the exam duration.
 - Washrooms must be cleaned and always maintained to ensure hygiene for candidates and staff.
- 6.1.17 ensure that all Venue compliance certification is appropriately displayed including Fire Safety and relevant Health & Safety.
- 6.1.18 ensure that all fire exits are clearly marked and fire extinguishers are checked and in sight within the Venue.
- 6.1.19 ensure that there are clear instructions regarding fire evacuation processes which are visible within the Venue.
- 6.1.20 Sound system and Microphones
 - Each exam hall must be equipped with a functional sound system and microphone for announcements.
- 6.1.21 provide fire detection equipment and alarms within the Venue(s).
- 6.1.22 ensure that the Exam Room has secure access for authorised Test Day Personnel and Candidates during the exam.
- 6.1.23 ensure all Exam Rooms are located away from areas of high footfall or noise, or where training is being conducted.
- 6.1.24 ensure all Exam Rooms have adequate spacing between desks or partitions to prevent cheating. The minimum distance between the edge of one desk and the edge of the next is 1.25 meters. If using partitions, these must be both high and long enough on all sides to prevent Candidates from seeing each other's work. Any such partitions must be sturdy so as not to fall over during any Exam Sitting.
- 6.1.25 provide Exam Rooms which have a controlled, comfortable temperature with air conditioning and/or heating systems as appropriate.
- 6.1.26 ensure a working digital clock (2ft x 2ft), in a highly visible location within each Exam Room.
- 6.1.27 provide desks with a suitable adjustable chair for each Candidate within each Exam Room.

Annex 2 – Venue Requirements

6.1.28 Specifications for Table are

- Separate tables only (no arm tables permitted).
- Table dimensions: 22" (L) x 22" (B) x 28" (H).
- Chair specifications:
- Cushion size: 16" (L) x 16" (B), cushion depth 1".
- Height: 17" (floor to cushion bottom), 18" (floor to cushion top), 40" (floor to chair back top).

6.1.29 provide a desk for the test administrator which will be positioned at the front of each Exam Room, facing the Candidates.

6.1.30 ensure that each Exam Room has adequate lighting and window coverings. and

6.1.31 provide to the British Council, or its authorised representatives, a completed, signed Daily Setup Checklist in the form set out in Schedule 5 (or as otherwise provided by the British Council from time to time) for each day of a Session.

6.1.32 provide mineral water (19 Litre with dispenser or 500ML bottle) for all candidate and staff members to be provided, as confirmed by The British Council. and

6.1.33 provide disposable cups for water

7 General Security:

7.1 Venue Owner shall:

7.1.1 provide the Exam Administrator Area which shall be a clearly defined space or room (if available), outside (or inside, but in its own designated area) of the Exam Room for Candidates to be registered and their identity to be checked. This space must be adequate for the number of Candidates registered (as notified to Venue Owner by the British Council) and for the Test Day Personnel to carry out the registration/exam administration procedures.

7.1.2 in the Candidate Waiting Area (or area adjacent to it), provide secure storage for Candidates' belongings (e.g. mobile phones). This storage space must be sufficient for the number of Candidates attending each Exam Sitting. For the avoidance of doubt this may be outside or inside of the Exam Room and the belonging area must be covered under CCTV surveillance from all corners.

7.1.3 provide secure storage for British Council staff (including Test Day Personnel) belongings (e.g. mobile phones). and

7.1.4 ensure that each Venue is aware that the End Client (and, where applicable, its clients) may send an examination and/or security auditor (or auditors) to audit any Exam Sitting during any Session and ensure

Annex 2 – Venue Requirements

that any such examination auditor(s) is/are assisted as necessary and escorted to their chosen Exam Sitting without delay.

- 7.1.5 Provide handheld metal detectors as per the need of the examination staff.
- 7.1.6 Walkthrough security gate should be present
 - One (1) walkthrough gate required for every 100 test takers.
 - Must be operational throughout candidate entry and screening.
- 7.1.7 Provide Security Guards as per mentioned details
 - Two (2) exam-specific security guards required for every 100 test takers (TTs):
 - 1 Male guard
 - 1 Female guard
 - Guards must be stationed inside/at the exam halls only (not shared with general premises security).

8 Data Security

- 8.1 Venue Owner shall:
 - 8.1.1 comply with its obligations under clause 9 of Schedule 1.
 - 8.1.2 ensure that the correct system protection is in place so that any data, including any electronically transmitted PBT Data or PBT questions, provided under this Agreement are not vulnerable to malicious 3rd party activity or virus.
 - 8.1.3 Ensure comprehensive coverage of customer journeys, routes and points, including but not limited to, such perimeters, parking lots, and storage spaces, walkways, hallways, Internal and external building spaces and other relevant zones, through the use of CCTV surveillance. These surveillance systems should ensure the capture of clear and identifiable images whenever needed. Recordings, footages, or clips should be retained for a period ranging between 60 to 90 days.
- 8.2 Venue Owner shall, where applicable:
 - 8.2.1 take all reasonable steps to protect the confidentiality, integrity and availability of the Personal Data and other information processed on behalf of the British Council in connection with this Agreement, including the use of “multi factor authentication” for (super)users who log in over the internet (the “Information”).
 - 8.2.2 take all reasonable steps to protect the integrity and availability of any system it uses to process the Information and deliver the end-to-end service within its sphere of influence (including any third parties contracted as part of the process).

Annex 2 – Venue Requirements

- 8.2.3 solicit and share with the British Council an annual independent information security assessment to provide assurance against paragraphs 3.1.3 and 3.1.4 above (This should be undertaken against a recognised framework/methodology such as SOC2, ISO27001 or COBIT. Material risks or gaps must be mitigated and confirmation of this communicated to the British Council. Where appropriate, ISO27001 or other recognised certifications (such as the Cyber Essentials Scheme) can be used as part of the evidence for paragraphs 3.1.3 and 3.1.4 above).
- 8.2.4 solicit an independent annual "Penetration Test" on all internet facing information systems from a CHECK or CREST approved organisation (The Penetration Test must follow CREST or CHECK methodologies and be categorised using the CVSS method. All High and Critical vulnerabilities must be mitigated within seven working days with all Medium vulnerabilities mitigated within 21 working days. A retest must be undertaken and results communicated to the British Council).
- 8.2.5 ensure that all personnel involved in the end-to-end process are vetted to a level of at least Baseline Personnel Security Standard (BPSS). and
- 8.2.6 also ensure its employees undertake annual information security training.

9 Other Requirements

- 9.1 Venue Owner shall ensure that:
 - 9.1.1 the Venues are and will remain available for each Exam Sitting during the Session(s) with particular attention to ensuring that:
 - (i) there are no planned Fire Drills timetabled during an Exam Sitting.
 - (ii) there will be no noise disturbance:
 - (A) no events making extensive use of audio equipment to take place at the Venue during an Exam Sitting. and
 - (B) no construction or renovation work to take place at the Venue during an Exam Sitting.
 - (iii) there is no existing and/or any new cause or action being instigated against the Venue which may prevent or impede access to the Venue. and
 - (iv) any potential change, or change, of Control taking place ahead of the relevant Exam Sitting is notified to the British Council immediately on Venue Owner becoming aware of such change.
 - 9.1.2 all national and local requirements applicable to the Venue are met including those regarding insurance, fire and safety. and
 - 9.1.3 no Venue will fall into insolvency, receivership or be at risk of any financial failure during the Term.
 - 9.1.4 Provide sufficient parking for candidate and staff cars.

Annex 2 – Venue Requirements

9.2 Venue Owner shall ensure that it provides the British Council with details of which Venues meet which of the following ISOs and/or any local equivalents (as updated from time to time):

- 9.2.1 **ISO 9001** Quality Management (2003)
- 9.2.2 **ISO 10002** Customer Satisfaction and Complaints Handling (2006)
- 9.2.3 **ISO 14001** Environmental Management (2006)
- 9.2.4 **ISO 27001** Information & Data Security (2008)
- 9.2.5 **ISO 23988** Use of IT in the delivery of assessments (2013)
- 9.2.6 **ISO 22301** Business Continuity (2015)