

RADIATOR SCHEDULE

Reference	Location	Height (mm)	Length (mm)	Output (W)	Manufacturer	Range	Specification	Control
R01	Storage 2	700	1400	629	Contour	Deepclean	Slope Top Flr Mid DF	TRV
R02	Rear Corridor	700	900	413	Contour	Deepclean	Slope Top Flr Mid DF	Thermostat
R03	Storage 1	700	1400	629	Contour	Deepclean	Slope Top Flr Mid DF	TRV
R04	Core Corridor	700	1400	709	Contour	Deepclean	Slope Top Flr Mid DF	TRV
R05	Core Corridor	700	1400	709	Contour	Deepclean	Slope Top Flr Mid DF	TRV
R06	Corridor	700	1000	472	Contour	Deepclean	Slope Top Flr Mid DF	TRV
R07	Lobby	700	800	386	Contour	Deepclean	Slope Top Flr Mid DF	TRV
R08	Accessible Change	700	1000	451	Contour	Deepclean	Slope Top Flr Mid DF	TRV
R09	WC Corridor	700	600	236	Contour	Deepclean	Slope Top Flr Mid DF	TRV



Revisions

Rev	Date	Init	Description
P01	08.04.25	PR	INITIAL ISSUE



Electrical, Mechanical, Heating Consulting Engineers
Alpine House, Alpine Street, Old Basford, Nottingham NG6 0HS
Tel: 0115 924 4433
E-mail: enquiries@epconsulting.co.uk

Client

TEAM Trust

Job Title

Proposed SEN Nursery
Stubbin Wood Nursery

Drawing Title

Proposed Heating & Cooling
Layout

Stage

Stage 3

Status

S3 - Suitable for Review & Comment

Drawn by

PR

Checked

Rev.

Date

Apr 25

Scale

1 : 50

A0

P01

Project No. - Originator - Zone - Level - Type - Role - Drawing No.
25021-EPC-XX-00-DR-M-1001