









General Notes:

These drawings are for purposes of a Planning Application and/or Certificate of Lawfulness and are to be read in conjunction with all other drawings and specifications relating to this application from contributing consultants.

Construction (Design & Management) Regulation 2015 CDM  
These proposals fall within the requirements of the Construction (Design and Management) Regulations 2015. The Client is responsible for the appointment of the CDM designer and Principal Contractor. The Principal Contractor will be required to perform the construction tasks in accordance with the Health and Safety plan and to adopt them during the course of the construction process and to implement the requirements given to them by the CDM Designer during site visits.

Party Wall  
Party Wall Act: The owner has a duty to serve a party structure notice to any adjoining owner if works are to be carried out to a party wall, structure, or line of junction; or if works involve excavations lower than the foundations of a neighbouring building within 3m, or excavations cut through a 45° line from the foundations of a neighbouring building within 6m. a party wall agreement/award should be formalised before the commencement of the works.

Window Schedule								RoofLight Schedule	
Window I.D.	W-01	W-02	W-03	W-04	W-05	W-06	W-07	Rooflight I.D.	Skylight SL-01
Description	Double glazed White powder coated aluminium framed window fitted with toughened safety glass. Fit Thermabate reveal cavity insulation and DPC. Overall "U" value 1.2 W/m2K.	Double glazed White powder coated aluminium framed window fitted with toughened safety glass. Fit Thermabate reveal cavity insulation and DPC. Overall "U" value 1.2 W/m2K.	Double glazed White powder coated aluminium framed window fitted with toughened safety glass. Fit Thermabate reveal cavity insulation and DPC. Overall "U" value 1.2 W/m2K.	Double glazed White powder coated aluminium framed window fitted with toughened safety glass. Fit Thermabate reveal cavity insulation and DPC. Overall "U" value 1.2 W/m2K.	Double glazed White powder coated aluminium framed window fitted with toughened safety glass. Fit Thermabate reveal cavity insulation and DPC. Overall "U" value 1.2 W/m2K.	Double glazed White powder coated aluminium framed window fitted with toughened safety glass. Fit Thermabate reveal cavity insulation and DPC. Overall "U" value 1.2 W/m2K.	Remove existing window to form link with new extension and in the remain space between the w.c. duct and extension outer face for new double glazed window fitted with group 3 obscured glass to match the existing set in timber framed window to match the existing in corpoarting Thermabate cavity reveal insulation around opening and matching arch and quoining brickwork. Insert Catnic lintel as required over oening with min. end bearing of 150mm. Over all "U" value 1.2 W/m2K.	Description	Velux electric operated with remote hand control centre-pivot (GGU MK04 006621U) Triple glazed with "well being" glass window complete with tile flashings. and internal lining set.
Home Story Name	GF-Ground Floor	GF-Ground Floor	GF-Ground Floor	GF-Ground Floor	GF-Ground Floor	GF-Ground Floor	GF-Ground Floor	Home Story	01-First Floor
Nominal W x H Size	1,600×2,200	800×1,985	800×1,200	800×1,200	1,100×2,200	1,100×2,200	439×890	W x H Size	---
3D Axonometry								3D Axonometry	
Sill Height	0	1,000	1,000	1,000	0	0	1,255	Sill Height	---
Head Height	2,200	2,985	2,200	2,200	2,200	2,200	2,145	Head Height	---
Position	Exterior	Exterior	Exterior	Exterior	Undefined	Undefined	Undefined	CAWS Section	<Undefined>
CAWS Section	<Undefined>	<Undefined>	<Undefined>	<Undefined>	<Undefined>	<Undefined>	<Undefined>		

Rev B 10/07/2025 MVL Amended drawings for tender issue.

Rev A 20/06/2025 MVL Amended drawings following meeting with Client 06/06/2025

REVISIONS	ID	DATE	BY	COMMENTS
DRAWING TITLE Window Schedule.				
JOB Horley Town Council				
Horley Town Council 92 Albert Road Horley Surrey RH6 7HZ				
CLIENT Mr Sam Adeniji				
INSTIGATION DATE	SCALE	N.T.S @ A2	DRAWN BY:	CHECKED BY: CVL
DRAWING No.	L-1886-4-901	REVISION:	B	

M

V

L

ARCHITECTS & SURVEYORS

MALCOLM V. LELLIOTT

19 CHURCH ST, GODALMING, SURREY, GU7 1EL.  
45 KINGS ROAD, ALTON, HAMPSHIRE, GU34 1PX.  
THE COACH HOUSE, DOCK STREET, PENARTH, CF64 2LA.

E-MAIL: ADMIN@MVL-ARCHITECTS.CO.UK TEL 01483 416 411  
E-MAIL: ADMIN@MVL-ARCHITECTS.CO.UK TEL 01420 375 083  
E-MAIL: ADMIN@MVL-ARCHITECTS.CO.UK TEL 02920 090 130

TENDER ISSUE