

373 - Tower of London
Door Schedule
TOL-JFA-XX-XX-SC-A-001
Rev: B
24.10.2025

Key		
* Works to Heritage Architects Specification	ML- Maglock	IC- Intercom
All timber door leaves are to be 44mm in depth	CR- Card Reader	DC- Door Contact

Door Number	Door Type	Internal /External	Location	Existing	Proposed	Dimension mm			Spec. ref	Fire Rating	Acoustic Rw dB	Glazing U-value W/(m2.K)	Access Control (To be read in conjunction with structural engineer's information.)	Ironmongery Set	Signage	Power Assist	Notes
						Structural Opening (w x h)	Existing Structural Opening	Door Leaf (w x h)									
Moat Level																	
D.A1.01	*	External	Moat Level Lift		1	1070mmx2100mm	Y	1070mmx2100mm	*	/	/	/	IC, ML, DC		Arch no.		
D.A2.01		External	Moat Level Stair		1	1070mmx2100mm	Y	1070mmx2100mm		/	/	/	IC, ML, DC		Arch no.		
D.A3.01		External	Moat Level Learning Storage		1	1070mmx2100mm	Y	1070mmx2100mm		/	/	/	IC, ML, DC		Arch no.		
D.A4.01		External	Moat Level Visitor WC's		1	1070mmx2100mm	Y	1070mmx2100mm		/	/	/	IC, ML, DC		Unisex		Double Action
D.A4.02	7	Internal	Moat Level Visitor WC's		1	995mmx2100mm	Y	935mmx2100mm	L20.411	/	/	/	Cubicle lock, Emergency Release Door Stop	07a	Unisex		Double Action
D.A4.03	3	Internal	Moat Level Visitor AWC		1	800mmx2100mm	Y	735mmx2100mm	L20.411	/	/	/	Cubicle lock, Emergency Release Door Stop	03	Unisex		
D.A5.01	*	External	Moat Level Moat Staff & Volunteer Space A		1	1070mmx2100mm	Y	1070mmx2100mm	*	/	/	/	IC, ML, DC		Arch no.		
D.A6.01		External	Moat Level Moat Staff & Volunteer Space B		1	1070mmx2100mm	Y	1070mmx2100mm		/	/	/	IC, ML, DC		Arch no.		
D.A6.02	7	Internal	Moat Level Moat Staff & Volunteer Space B WCs		1	795mmx2100mm	Y	725mmx2040mm	L20.411	/	/	/	Cubicle lock, Emergency Release Door Stop		Unisex		Double Action
D.A7.01	*	External	Moat Level Plant	1		1070mmx2100mm	Y	1070mmx2100mm	*	/	/	/	As Existing		Arch no.	1	
D.A8.01		External	Moat Level Store	1		1070mmx2100mm	Y	1070mmx2100mm		/	/	/	As Existing		Arch no.	1	
D.A9.01	*	External	Moat Level Store A	1		1070mmx2100mm	Y	1070mmx2100mm	*	/	/	/	As Existing		Arch no.	1	
D.A10.01	*	External	Moat Level Store B	1		1070mmx2100mm	Y	1070mmx2100mm	*	/	/	/	As Existing		Arch no.	1	
Ground Level																	
D.01.01	*	External	Reveller Reception		1	3305mmx2200mm	Y	n/a	L20.280	/	/	/	IC, ML, DC	MHB		1	Refer to drawing TOL_JFA_01_XX_DW_A_4100
D.01.02	8	Internal	Reveller Reception		1	1070mmx2030mm	Y	1025mmx2130mm	L20.281	/	/	/	No Lock Proposed	-			
D.01.03	8	Internal	Reveller Reception		1	1070mmx2030mm	Y	1025mmx2130mm	L20.281	/	/	/	No Lock Proposed	-			
D.01.04	*	External	ASHP Enclosure		1	950mmx2530mm	Y	2no. (950mm)x2430mm	L20.450	/	/	/	Key Operated Mortice Lock				
D.01.05		External	ASHP Enclosure		1	1905mmx2530mm	Y	950mmx2430mm	L20.450	/	/	/	Key Operated Mortice Lock				
D.02.01		Internal	Studio		1	1865mmx2625mm	Y	n/a	/	/	/	/	No Lock Proposed	ENVO			Refer to drawing TOL_JFA_01_XX_DW_A_4115
D.02.02		External	Studio	1		1850mmx2225mm	Y	1715mmx2175mm	/	/	/	/	CR, ML, DC				
D.02.03	*	External	Studio	1		1850mmx2225mm	Y	1715mmx2175mm	/	/	/	/	CR, ML, DC				
D.03.01	6	Internal	Breakout Space		1	1190mmx2200mm	Y	1120mmx2150mm	L20.412	/	/	/	No Lock Proposed	06			
D.03.02	*	External	Breakout Space	1		1215mmx2540mm	Y	1360mmx2540mm	*	/	/	/	No Longer in use, Closed Off and Locked				
D.03.03	1b	Internal	Breakout Space		1	1500mmx2430mm	Y	1490mmx2370	L20.410	30 FR	/	/	Key Operated Mortice Lock	01			
D.03.04	1b	Internal	Breakout Space		1	1500mmx2430mm	Y	1490mmx2370	L20.410	30 FR	/	/	Key Operated Mortice Lock	01			
D.03.05	1b	Internal	Breakout Space		1	1500mmx2430mm	Y	1490mmx2370	L20.410	30 FR	/	/	Key Operated Mortice Lock	01			
D.03.06	1b	Internal	Breakout Space		1	1500mmx2430mm	Y	1490mmx2370	L20.410	30 FR	/	/	Key Operated Mortice Lock	01			
D.03.07	1a	Internal	Breakout Space		1	750mmx2430mm	Y	745mmx2370mm	L20.410	30 FR	/	/	Key Operated Mortice Lock	01			
D.04.01	7	Internal	Visitors WCs		1	960mmx2700mm	Y	890mmx2650mm	L20.411	/	/	/	Cubicle lock, Emergency Release Door Stop	07b	Unisex		Refer to drawing TOL_JFA_01_XX_DW_A_3103 + 3104
D.04.02	7	Internal	Visitors WCs		1	960mmx2700mm	Y	890mmx2650mm	L20.411	/	/	/	Cubicle lock, Emergency Release Door Stop	07b	Unisex		Refer to drawing TOL_JFA_01_XX_DW_A_4110
D.04.03	7	Internal	Visitors WCs		1	960mmx2700mm	Y	890mmx2650mm	L20.411	/	/	/	Cubicle lock, Emergency Release Door Stop	07b	Unisex		Double Action
D.04.04	7	Internal	Visitors WCs		1	960mmx2700mm	Y	890mmx2650mm	L20.411	/	/	/	Cubicle lock, Emergency Release Door Stop	07b	Unisex		Double Action
D.04.05	7	Internal	Visitors WCs		1	960mmx2700mm	Y	890mmx2650mm	L20.411	/	/	/	Cubicle lock, Emergency Release Door Stop	07b	Unisex		Double Action
D.04.06	7	Internal	Visitors WCs		1	960mmx2700mm	Y	890mmx2650mm	L20.411	/	/	/	Cubicle lock, Emergency Release Door Stop	07b	Unisex		Double Action
D.04.07	3	Internal	Visitors Ambulant WCs		1	1005mmx2700mm	Y	935mmx2650mm	L20.411	/	/	/	Cubicle lock, Emergency Release Door Stop	07b	Unisex		
D.04.08	7	Internal	Visitors WCs		1	960mmx2700mm	Y	890mmx2650mm	L20.411	/	/	/	Cubicle lock, Emergency Release Door Stop	07b	Unisex		Double Action
D.04.09	7	Internal	Visitors WCs		1	960mmx2700mm	Y	890mmx2650mm	L20.411	/	/	/	Cubicle lock, Emergency Release Door Stop	07b	Unisex		Double Action
D.04.10	3	Internal	Visitors AWC		1	1005mmx2700mm	Y	935mmx2650mm	L20.411	/	/	/	Cubicle lock, Emergency Release Door Stop	07b	Unisex		Double Action
D.04.11	2	Internal	Storage Cupboard A		1	725mmx2040mm	Y	725mmx2040mm	L20.410	/	/	/	Key Operated Mortice Lock	02			
D.04.12	2	Internal	Storage Cupboard B		1	725mmx2040mm	Y	725mmx2040mm	L20.410	/	/	/	Key Operated Mortice Lock	02			
D.04.13	*	External	External Door	1		1020mmx2500mm	Y	800mmx2500mm	*	/	/	/	No Longer in use, Closed Off and Locked	-			
D.05.01	4	Internal	Learning Corridor		1	1795mmx2300mm	N	1795mmx2300mm	L20.413	30 FR	/	/	No Lock Proposed	04a			
D.05.02	4	Internal	Learning Corridor		1	1795mmx2300mm	N	1795mmx2300mm	L20.413	30 FR	/	/	CR, ML, DC	04b			
D.06.01	5	Internal	Community Room		1	955mmx2230mm	Y	930mmx2230mm	L20.280	/	35	/	Key Operated Mortice Lock	-			
D.06.02	3	Internal	Community Room AWC		1	995mmx2100mm	Y	925mmx2040mm	L20.411	/	/	/	Cubicle lock, Emergency Release Door Stop	03a	Unisex		
D.07.01	5	Internal	Quiet Room		1	915mmx2230mm	Y	900mmx2230mm	L20.280	/	35	/	Key Operated Mortice Lock	-			
D.08.01	5	Internal	Office		1	930mmx2230mm	Y	900mmx2230mm	L20.280	/	35	/	Key Operated Mortice Lock	-			
D.09.01	9	External	Sentury		1	825mmx2100mm	Y	930mmx2100mm	L20.215	/	/	/	Key Operated Mortice Lock	10			