


- A. GRANULAR BEDDING MATERIAL, TO BE SINGLE SIZE OR GRADED MATERIAL AS TABLE BELOW AND TO CONFORM WITH BS EN 1610 ANNEX B TABLE B15.
- B. SELECTED BACKFILL MATERIAL - TO BE FREE FROM STONES LARGER THAN 40MM, LUMPS OF CLAY OVER 100MM, FROZEN MATERIAL, VEGETABLE MATTER.
- C. IF TRENCH WIDTH, OVER CONSTRUCTION DEPTH, EXCEEDS INDICATED DIMENSIONS THE CONTRACTOR MAY BE REQUIRED TO PROVIDE HIGHER STRENGTH PIPES, OR HIGHER BEDDING FACTOR, AT OWN COST.
- D. PIPE IS TO BE LAID CENTRAL TO EXCAVATION FACES.


PIPE DIA. (mm)	GRANULAR BEDDING MATERIAL	
	SINGLE SIZE(mm)	GRADED(mm)
100	10	5 - 10
150	14	5 - 14
>150 - 600	20	5 - 20
>600	40	5 - 40



1. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECT AND ENGINEER DRAWINGS & SPECIFICATION NOTES.
2. DO NOT SCALE FROM HARLEY HADDOW DRAWING. FIGURED DIMENSIONS ONLY TO BE USED. HARLEY HADDOW DRAWINGS ARE FOR STRUCTURAL INFORMATION ONLY. FOR ALL SETTING-OUT DIMENSIONS AND DETAILS REFER TO ARCHITECT'S DRAWINGS.

P08	DRAFT TENDER ISSUE	CB	CB	29.10.2025
P07	STAGE 4	CB	CB	18.07.2025
P06	STAGE 4B COORDINATION	CB	CB	06.06.2025
P05	TRENCH DETAIL UPDATED	CB	CB	25.11.2024
P04	RODDING EYE DETAIL ADDED	CB	CB	08.11.2024
P03	STAGE 3 ISSUE	CB	CB	26.07.2024
P02	TYPICAL TRENCH DETAIL ADDED	CB	CB	24.07.2024
P01	PRELIMINARY DRAWING ISSUE	CB	CB	19.07.2024
REV	DESCRIPTION	BY	CHK	DATE

DRAFT TENDER ISSUE



TOWER OF LONDON

PROPOSED DRAINAGE DETAILS

Scale at A1: AS SHOWN	Date: June 2024	Drawn: C. Boubert	Checked: C. Boubert
Drawing No. 313240-HAH-XX-XX-DR-C-00300			Revision P08